



सत्यमेव जयते

भारत सरकार
Government of India
विद्युत मंत्रालय
Ministry of Power
उत्तर क्षेत्रीय विद्युत समिति
Northern Regional Power Committee

Dated: 30th October, 2024

सेवामें/ To

संलग्न सूची के अनुसार/ As per list enclosed

विषय: नवम्बर, 2024 माह के बिलिंग महीने (सितम्बर, 2024 की बिलिंग अवधि) का आर.टी.ए.।

Subject: RTA for billing month of November, 2024 (billing period September, 2024).

महोदय/ Sir,

Regional Transmission Account for the billing month of November, 2024 (Billing period September, 2024) is issued herewith, prepared as per provisions given in CERC (Sharing of Inter State Transmission Charges and Losses) Regulations, 2020, and based on following:

1. Notification of Transmission charges payable by DICs for Billing Month of November, 2024 issued by Implementing Agency, NLDC, on 25.10.2024 (copy enclosed)

The concerned entities are requested to intimate the discrepancy / error, if any, within 15 days from the date of issue of this RTA. In case no such communication is received from any constituent within 15 days, the RTA will be treated as correct and closed.

अनुलग्नक – यथोपरि।

Encl.: As above.

भवदीय

Yours faithfully,

(अंजुम परवेज)

अधीक्षण अभियंता

NORTHERN REGIONAL POWER COMMITTEE

Regional Transmission Account of Northern Region for the billing month of November'2024 (billing period of September'2024)

Details of Entity Wise bilateral Billing

S. No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	Monthly Transmission Charges in ₹	State Control Area in which the Bilateral charges are included	Remarks	
1	400KV D/C Kota - Jaipur (South) line along with associated bays at Kota and Jaipur(South) (part of RAPPJaipur (S) 400KV D/C line with one ckt LILO at Kota)	Powergrid	RAPP 7&8, NPCIL	NR	3,15,47,014		As per Regulation 13(3) of Sharing Regulations 2020	
2	2 numbers 400 kv line bays at Bhadla (POWERGRID) Sub-station	Powergrid	Adani Renewable Energy Park Rajasthan Limited	NR	10,564		As per Regulation 13(3) of Sharing Regulations 2020	
3	Establishment of 400 kv Pooling Station at Fatehgarh	Fatehgarh Badhla Transmission Limited	Adani Renewable Energy Park Rajasthan Limited	NR	8,528		As per Regulation 13(3) of Sharing Regulations 2020	
4	Fatehgarh Pooling Station – Bhadla (PG) 765 kv D/C line (To be operated at 400 kv)		ACME Solar Holdings Pvt. Ltd	NR	25,58,329		As per Regulation 13(3) of Sharing Regulations 2020	
5	2 Nos. 400 kv line bays at Fatehgarh Pooling Station			NR			As per Regulation 13(3) of Sharing Regulations 2020	
6	1x25 MVAR Bus Reactor at 400 kv Fatehgarh Pooling Station along with associated bay			NR			As per Regulation 13(3) of Sharing Regulations 2020	
7	Space for future 220kv (12 Nos) Line Bays			NR			As per Regulation 13(3) of Sharing Regulations 2020	
8	Space for future 400kv (8 Nos) Line Bays alongwith line reactors at at Fatehgarh Pooling Station			NR			As per Regulation 13(3) of Sharing Regulations 2020	
9	Space for future 220/400kv transformers (5 Nos) alongwith associated transformer bays at each level.			NR			As per Regulation 13(3) of Sharing Regulations 2020	
10	Space for future 400kv bus reactors (2 Nos) alongwith associated bays.			NR			As per Regulation 13(3) of Sharing Regulations 2020	
11	765/400 kv 1500 MVA ICT along with associated bays at Meerut Sub-station under Transmission System associated with Tehri Pump Storage Plant (PSP)				NR			As per Regulation 13(3) of Sharing Regulations 2020

NORTHERN REGIONAL POWER COMMITTEE

Regional Transmission Account of Northern Region for the billing month of November'2024 (billing period of September'2024)

Details of Entity Wise bilateral Billing

S. No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	Monthly Transmission Charges in ₹	State Control Area in which the Bilateral charges are included	Remarks
12	765/400 kV 800 MVA ICTI along with associated bays at Koteshwar (Tehri Pooling Station) under Transmission System associated with Tehri Pump Storage Plant (PSP)	Powergrid	THDC India Ltd.	NR	4,17,79,973		As per Regulation 13(3) of Sharing Regulations 2020
13	400 kV S/C Tehri (Generation)-Tehri (Koteshwar) (Quad) line along with associated bays at both ends under Transmission system associated with Tehri Pump Storage Plant (PSP)			NR			As per Regulation 13(3) of Sharing Regulations 2020
14	Establishment of 400/220kV, 4x500MVA Ramgarh-II PS (Fatehgarh-III PS) with 420kV (2x125MVAR) Bus Reactor 400kV: 500MVA ICT - 4 ICT bays - 4 Line bays - 4 125MVAR Bus Reactor - 2 Reactor Bays - 2 220kV: ICT bays - 4 Line Bays - 7	Powergrid Ramgarh Transmission Ltd.	Adani Renewable Energy Holding Seventeen Pvt. Ltd.	NR	1,16,22,148		As per Regulation 13(3) of Sharing Regulations 2020
15	Ramgarh-II PS(Fatehgarh-III) - Fatehgarh-II PS 400kV D/c line (Twin HTLS)						
16	2 nos. of 400kV line bays at Fatehgarh-II PS for Ramgarh-II PS - Fatehgarh-II PS 400kV D/c line						
17	Ramgarh-II PS - Jaisalmer-II (RVPN) 400kV D/c line (Twin HTLS)						
18	2 nos. of 400kV line bays at Jaisalmer-II (RVPN) for Ramgarh-II PS - Jaisalmer-II (RVPN) 400kV D/c line						

NORTHERN REGIONAL POWER COMMITTEE

Regional Transmission Account of Northern Region for the billing month of November'2024 (billing period of September'2024)

Transmission Charges to be paid by DICs under Regulation 13(7)

Where Long Term Access is granted to a generating station on existing margins and COD of the generating station or unit(s) thereof is delayed

S.No.	Name of Generating Station	Connectivity Granted by CTU (MW)	Pooling Station	Connectivity Granted by CTU (MW)	Commissioned Connectivity Capacity (MW)	Date of Commercial Operation	Details of effectiveness of connectivity / GNA	Delayed Connectivity Capacity (MW)	Transmission Charges (₹)	Remarks
1	NTPC Ltd. (Rihand Solar)	NR	Intra-State	20	0	-	20MW: 20.10.2022	20	60,000	
2	THDC India Ltd. (Khurja STPP)	NR	Aligarh S/s	465.6	0	Yet to be commissioned	30.04.2023	465.6	13,96,800	



ग्रीड कंट्रोलर ऑफ इंडिया लिमिटेड
(भारत सरकार का उपक्रम)

GRID CONTROLLER OF INDIA LIMITED
(A Government of India Enterprise)

[Formerly Power System Operation Corporation Limited (POSOCO)]

राष्ट्रीय भार प्रेषण केन्द्र / National Load Despatch Centre

Notification of Transmission charges payable by DICs for Billing Month of November, 2024

No: TC/10/2024

Date: 25.10.2024

1. Central Electricity Regulatory Commission (Sharing of Inter-State Transmission Charges and Losses), Regulations 2020 came into force with effect from 1.11.2020. National Load Despatch centre (NLDC) as the Implementing Agency under Sharing Regulations 2020 has been entrusted with the responsibility of computation of ISTS transmission charges and losses. As per Regulation (14)(5)(b), Transmission charges payable by DICs shall be notified by the Implementing Agency by 25th day of the month following billing period. The computation of transmission charges shall be done on the basis of inputs received from ISTS Licensees, DICs/ States, CTU as per the Regulations.
2. Central Electricity Regulatory Commission has notified three amendments to Central Electricity Regulatory Commission (Sharing of Inter-State Transmission Charges and Losses), Regulations 2020 which came into force with effect from 1.10.2023, 1.11.2023 and 26.10.2023 respectively.
3. As per Regulation 24(1), all entities whose transmission elements have declared COD during the billing period shall submit to the Implementing Agency, network data, date(s) of commercial operation of the new transmission element and Yearly Transmission Charge (YTC) of such transmission element in the format stipulated by the Implementing Agency, on or before the end of the billing period.
4. As per Regulation 24(2), Implementing Agency shall publish the peak block of the billing period on the first day of the month following the billing period. Accordingly, NLDC had identified **60th time block (14:45 Hrs to 15:00 Hrs) on 20th September, 2024** as a peak block for the billing period of Sep'24 and published the information of peak block on Grid-India website. Details of the inputs from entities have been received as per the stipulated timelines is enclosed as **Annexure-I**.
5. Based on the inputs furnished by ISTS licensees, Monthly Transmission Charges (MTC) to be considered in the computations have been shared with all ISTS licensees/ deemed ISTS licensees for review and comments on 14.10.2024 with last date of submission of comments as 16.10.2024.
6. Based on inputs furnished by DICs/ States, all India basic network has been prepared along with node wise generation and demand as per the peak block and was made available on Grid-India website on 15.10.2024 for review and comments by DICs/ States in line with the notified procedures latest by 18.10.2024.
7. The methodology involved in the computation exercise along with the assumptions followed in the computations are enclosed at **Annexure-II**.
8. CERC had notified the CERC (Connectivity and General Network Access to the inter-State Transmission System) (First Amendment) Regulations, 2023 on 01.04.2023 w.e.f 05.04.2023. As per Annexure-II of the said Regulations, titled as "Methodology to determine 'Direct drawal' by a State from a regional entity generating station", CTU will provide the list of regional entity generating stations (connected to STU and ISTS or only STU) to NLDC within a week of coming into effect of these Regulations for computation of Direct drawal by the state.

Accordingly, based on the inputs received from CTU, NLDC had computed GNash and GNAd and published the same on Grid-India website on 03.07.2023. Subsequently, CTUIL vide email dated 24.11.2023 has furnished revised list of eligible regional entity generating stations (connected to STU and ISTS or only STU) for computation of GNash and GNAd. Accordingly, NLDC has revised GNash and GNAd. Updated details of GNash and GNAd are uploaded on the Grid-India website.

For computation of transmission charges of states, corresponding GNA has been reduced by quantum of GNAd of the state.

9. CERC vide notification dated 26.10.2023 has notified the CERC (Sharing of Inter-State Transmission Charges and Losses)(Third Amendment), Regulations 2023 w.e.f. 26th October,2023. Relevant part of the notification is as follows:

“(a) Regional Component of HVDC (RC-HVDC) comprising of 70% of Yearly Transmission Charges of HVDC transmission systems planned to supply power to the concerned region, except HVDC transmission systems covered under sub clauses (a), (b) and (c) of Clause (3) of Regulation 5:

Provided that where an inter-regional HVDC transmission system planned to supply power to a particular region is operated to carry power in the reverse direction due to system requirements, the percentage of Yearly Transmission Charges of such transmission systems to be considered in the Regional component and the National component shall be calculated as follows:

HVDCr (in %) = (MW capacity of power flow in the reverse direction / MW capacity of power flow in the forward direction) X100

Where, HVDCr (in %) is more than 30%, the Yearly Transmission Charges corresponding to HVDCr shall be considered in the National component and the balance in the regional component.

Where, HVDCr (in %) is equal to or less than 30%, 30% of Yearly Transmission Charges shall be considered in the National component and 70% in the Regional component:

.....”

Accordingly, Transmission charges for HVDC Raigarh-Pugalur has been computed based on the above methodology after considering 3000 MW capacity in the reverse direction and 6000MW capacity in the forward direction from date of coming into effect of CERC (Sharing of Inter-State Transmission Charges and Losses)(Third Amendment), Regulations 2023 which is 26.10.2023.

10. As per Annexure-III of CERC (Sharing of Inter-State Transmission Charges and Losses)(First Amendment), Regulations 2023, % waiver for transmission charges is to be computed based on the drawal schedule of drawee entities. Relevant part of the Regulations is as follows:

“(a) The transmission charges towards ISTS for each drawee DIC shall be computed in accordance with Regulations 5 to 8 of these regulations.

(b) The waiver of transmission charges shall be calculated in the following manner: -

- (i) Waiver of a drawee DIC other than a drawee DIC which has obtained “GNARE” shall be calculated based on the following formulae:*

$$\text{Waiver (\%)} = 100 \times \frac{\sum_{n=1}^T \frac{SDRTG}{SDTTG}}{T}$$

Where, “SDRG” is the drawl schedule (in MW) through ISTS under GNA from the sources eligible for waiver under Regulation 13 of these regulations in nth block;

“SDTG” is the total drawl schedule (in MW) under GNA through ISTS from all sources in nth block; “n” is the nth time block

“T” is number of time blocks in a month = 96 X number of days in a month

Provided that in case the "SDTG" for a time block is less than 75% of the maximum schedule corresponding to GNA, the "SDTG" shall be taken as 75% of maximum schedule corresponding to GNA for a time block. (ii) Waiver of a drawee DIC which has obtained "GNARE" shall be calculated based on the following formulae:

$$\text{Waiver (\%)} = 100 \times (\text{sum of SDRTG for all time blocks in the month}) / (\text{total number of time blocks in the month} \times 0.3 \times T\text{-GNARE})$$

Where, "GNARE" is the GNA to procure power only from the sources eligible for waiver under Regulation 13 of these regulations; "SDRG" is the drawl schedule (in MW) in a time block through ISTS under GNARE from the sources eligible for waiver under Regulation 13 of these regulations;

Provided that maximum waiver shall be limited to 100%: Provided further that if such an entity draws power from any source other than the sources eligible for waiver under Regulation 13 (2) of these regulations, except after obtaining additional GNA or T-GNA or converting GNARE into GNA by making an application to CTU, it shall be charged @TDR of the State in which such an entity is located."

In accordance with the above regulatory provisions, % waiver for drawee DICs has been computed considering the drawal schedule under GNA and GNA-RE.

11. Accordingly, the transmission charges are hereby notified for the billing month of November'24 mentioned as follows:
- a) Various components of the transmission charges determined have been added for each DIC in order to compute total transmission charges payable by the DIC.
 - b) The transmission charges are computed separately for both GNA and T-GNA :
 - For GNA billing in ₹: These charges are calculated only for Drawee DICs.
 - For T-GNA billing in (Rs./MW/block) : These rates are calculated for all the states.
 - c) The notified transmission charges payable by DICs for the billing month of November'24 shall be used by RPCs for preparation of Regional Transmission Account (RTA) for the billing month of November'24 considering details of GNA enclosed along with this notification.
 - d) The notified waiver % of Drawee DICs for the billing month of November'24 are to be used by CTUIL for computation of waiver amount of drawee DICs.
 - e) Transmission charges shall be payable by the entities who are granted T-GNA or T-GNARE under Regulation 26.1 of the GNA Regulations.
 - f) The notified transmission charges for T-GNA bilateral transactions shall be applicable for the applications received on or after 00:00 Hrs of the next day (D+1) following the date of this notification (D). In the case of T-GNA collective transactions, both DAM and RTM, the notified transmission charges shall be applicable from the delivery day D+2 following the date of this notification.
 - g) The transmission charges payable by DICs for GNA are given at **Annexure-III**.
 - h) Waiver % of Drawee DICs are attached as **Annexure-IV**
 - i) Applicable T-GNA rates are attached as **Annexure-V**.
 - j) Details of GNA and GNA-RE is given at **Annexure-VI**.
 - k) ISTS licensee wise break up of Monthly Transmission Charges (MTC) is given at **Annexure-VII**.

- l) Entity-wise details of bilateral billing are given separately at **Annexure-VIII**.
- m) Details of Transmission Charges to be paid to Transmission Licensees as per Regulation 13(12) is given at **Annexure-IX**.
- n) Details of GNash and GNAd is given at **Annexure-X**.
- o) Details of commercial data of RE transmission network to be considered for NC-RE component as furnished by CTU is given at **Annexure-XI**.

शुभेन्दु मुखर्जी
(शुभेन्दु मुखर्जी)
उप-महाप्रबंधक / रा. भा. प्रे. के.

Input Data furnished by DICs/ ISTS Licensees/ CTU

1. As per Regulation 24(1) of Sharing Regulations 2020, some of the ISTS Licensees have submitted YTC data by 30.09.2024. Rajgarh Transmission Limited has submitted its YTC on 01.10.2024. Power Transmission Corporation Of Uttarakhand Ltd. has submitted its YTC on 04.10.2024. Essar Power Transmission Company Limited has submitted its YTC on 05.10.2024. Jindal Power Limited and Torrent Power Grid Ltd. have submitted its YTC on 07.10.2024. Kohima Mariani Transmission Limited has submitted its YTC on 14.10.2024. The list of ISTS licensees that have submitted YTC data is mentioned as below.

List of ISTS Licensees submitted the YTC data for the billing period Sep'24

Sl. No.	Name of ISTS Licensee
1	Powergrid Corporation Of India Ltd
2	Adani Transmission (India) Limited
3	Chhattisgarh-WR Transmission Limited.
4	Raipur Rajnandgaon-WR Transmission Limited.
5	Sipat Transmission Limited.
6	Western Transmission Gujarat Limited
7	Western Transco Power Limited
8	Alipurduar Transmission Limited
9	Fatehgarh-Bhadla Transmission Ltd.
10	North Karanpura Transco Limited
11	Bikaner-Khetri Transmission Limited
12	Jam Khambaliya Transco Limited
13	Lakadia-Banaskantha Transmission Limited
14	WRSS XXI (A) Transco Limited
15	Karur Transmission Limited
16	Khavda-Bhuj Transmission Limited
17	Essar Power Transmission Company Limited
18	Essar Transco Limited
19	Jindal Power Limited

Sl. No.	Name of ISTS Licensee
20	Kudgi Transmission Limited
21	Parbati Koldam Transmission Company Limited
22	Bhopal Dhule Transmission Company Ltd.
23	East North Interconnection Company Limited
24	Gurgaon Palwal Transmission Limited
25	Jabalpur Transmission Company Limited
26	Maheshwaram Transmission Limited
27	Khargone Transmission Company Ltd.
28	Goa Tamnar Transmission Projects Limited
29	Mumbai Urja Marg Limited
30	Lakadia Vadodara Transmission Company Limited
31	NRSS-XXIX Transmission Limited
32	Odisha Generation Phase-II Transmission Limited
33	Patran Transmission Company Limited
34	Purulia & Kharagpur Transmission Company Limited
35	Rapp Transmission Company Limited
36	NER-II Transmission Limited
37	Kallam Transmission Limited
38	Torrent Power Grid Limited
39	Darbhanga-Motihari Transmission Company Limited
40	NRSS XXXI (B) Transmission Limited
41	Kohima Mariani Transmission Limited
42	Raichur Sholapur Transmission Company Private Limited
43	Koppal-Narendra Transmission Limited
44	NRSS XXXVI Transmission Limited
45	Warora-Kurnool Transmission Limited

Sl. No.	Name of ISTS Licensee
46	Rajgarh Transmission Limited
47	Powergrid Vizag Transmission Limited
48	Powergrid NM Transmission Limited
49	Powergrid Unchahar Transmission Limited
50	Powergrid Parli Transmission Limited
51	Powergrid Kala Amb Transmission Limited
52	Powergrid Southern Interconnector Transmission System Limited
53	Powergrid Jabalpur Transmission Limited
54	Powergrid Warora Transmission Limited
55	Powergrid Medinipur Jeerat Transmission Limited
56	Powergrid Mithilanchal Transmission Limited
57	Powergrid Ajmer Phagi Transmission Limited
58	Powergrid Varanasi Transmissoin System Limited
59	Powergrid Fatehgarh Transmission Limited
60	Powergrid Khetri Transmission System Ltd.
61	Powergrid Bhuj Transmission Limited
62	Powergrid Bikaner Transmission System Limited
63	Powergrid Ramgarh Transmission Limited
64	Powergrid Neemuch Transmission System Limited
65	Powergrid Bhadla Transmission Limited
66	North East Transmission Company Limited
67	Transmission Corporation Of Andhra Pradesh (APTRANSCO)
68	Power Transmission Corporation Of Uttarakhand Ltd.
69	Haryana Vidyut Prasaran Nigam Limited

2. As per Sharing Regulations 2020 and NLDC notified Procedure for collection of data and information, CTU shall submit all required data and information as stipulated in Formats II(A) to II(H) within 7 days after the end of the billing period i.e. by 07.10.2024. NLDC had provided the detailed list of ISTS assets of all licensees for segregation into various components as per stipulated formats on 01.10.2024. CTU have submitted data in formats II(C), II(D), II-(G1) to II-(G5), II(H) and II(I) on 15.10.2024. Subsequently, CTU have submitted data in formats II(A), II(E) and II(F) on 17.10.2024. Further, CTU has submitted data in format II(B) on 21.10.2024.

3. As per Regulation 24(4) and NLDC notified Procedure for collection of data and information, DICs shall submit the required information to the Implementing Agency as stipulated in Formats III and IV for the billing period within 7 days after end of the billing period. The list of the DICs that have submitted the data by 07.10.2024 is as mentioned below:

S.NO.	WR	SR	NR	NER	ER
1	Chattisgarh	Andhra Pradesh	Uttar Pradesh	Assam	Odisha
2	Gujarat	Telangana	Haryana	Meghalaya	
3	MP	Karnataka	Himachal Pradesh	Mizoram	
4	Maharashtra	Kerala	Delhi	Nagaland	
5	Goa	Tamil Nadu	Rajasthan	Tripura	
6	D&D and DNH	PVG Azure Earth	Punjab		
7	Hazira	PVG AMPLUS Tumkur and PVG AMPLUS Pavagada	Jammu & Kashmir		
8	ACBIL	Yarrow Infra Structure Private Ltd. (Pavagada Solar Park)	ReNew Solar Power Private Limited		
9	Spectrum Power	ANP AZURE			
10	Maruti Coal Power	PVG Fortum Finsurya.			
11	DB Power Ltd.	Athena Galiveedu			
12	DGEN				
13	Dhariwal				
14	GMR Warora (EMCO)				
15	Raipur Energen				
16	Jindal Stg-1				

S.NO.	WR	SR	NR	NER	ER
17	JPL Stg-2				
18	Jhabua Power				
19	JP Nigrie				
20	KAPS 1&2				
21	KAPS 3&4				
22	Raigarh Energy				
23	KSK Mahanadi				
24	LANCO				
25	MB Power				
26	Essar Mahan				
27	NSPCL Bhilai				
28	RKM Power				
29	Sasan UMPP				
30	SSP				
31	TAPS (3,4)				
32	TAPS (1,2)				
33	Naranpar Ostro				
34	ACME RUMS				
35	Mahindra Renewables Pvt. Ltd.				
36	Bhuvad Renew				
37	Vadwa Green Infra				
38	Roha Green infra				
39	Dayapar Inox				
40	Ratadiya AGEMPL				
41	Alfanar wind				

S.NO.	WR	SR	NR	NER	ER
42	Renew AP2 Gadhsisa				
43	Avikiran				
44	Kawas Solar				
45	Powerica				
46	SESPL Morjar				
47	SKRPL				
48	Gandhar Solar (Jhanor_RE)				
49	SBESS				
50	Netra Wind				
51	AWEK4L				
52	Apraava				
53	SRSSFPL				
54	Torrent Sidhpur				

Methodology of the computations and assumptions followed in the basic network

a) Modeling of the Basic Network

- A. The All India network was modeled with the help of network data and node wise generation and demand data furnished by DICs. Wherever network data has not been provided by DICs, network data already available at RLDCs/NLDC has been considered. Wherever technical parameters were not furnished, standard parameters as per CEA Manual on Transmission Planning Criteria have been used.
- B. Certain Transmission Lines included in the basic network were partly owned by ISTS Licensee and partly by STUs. There were cases where the existing lines originally owned by one utility have been made LILO by other utility. In cases where the line originally owned by ISTS Licensee has been made LILO by STU, the Monthly Transmission Charge for the entire line has been considered (including the section owned by STU). In cases where the line originally owned by STU has been made LILO by ISTS Licensee, the Monthly Transmission Charge for the entire line has not been considered.
- C. All India basic network up to 66/ 33 kV level and at some nodes even till 0.4 kV level has been prepared. As per the Sharing Regulations 2020, basic network means power system at voltage levels of 110 kV and above, containing all power system elements including generating station and transmission systems.
- D. In line with Sharing Regulations 2020, all India basic network has been truncated to 110 kV level. Power flow into lower voltage system has been considered as load at the substation at truncated point. Power flow from a lower voltage system has been considered as generation at the substation at truncated point.
- E. To account for the transmission losses of the truncated lower voltage network and to ensure state drawal as per SEM data corresponding to peak block, minor adjustments in states generation has been done.
- F. Interstate generating Stations (ISGS) connected at 220kV and below voltage level are created as separate control areas.
- G. 400 kV Singrauli considered as slack bus.
- H. Power flow in HVDC BNC-Agra and HVDC Alipurduar-Agra adjusted in order to remove loop flows in the All India network.

b) Load Generation balance for the basic network

- A. Node wise generation and demand data for the peak block as submitted by DICs has been considered to prepare Load Generation balance.
- B. Wherever aggregate generation and demand data submitted by DICs, the generation and demand data has been distributed across the nodes of the DICs as per the node wise distribution of the TTC/ATC base case applicable for Sep'24.
- C. Wherever node wise generation and demand data has not been provided by DICs, SEM data/ SCADA data available with NLDC/RLDCs has been considered. In the absence of SEM/ SCADA data, the node wise generation and demand data as available from TTC/ ATC base case / recently submitted base case of states has been considered.

c) Commercial Data considered in the computations

- A. The data as submitted by the ISTS Licensees has been examined by NLDC and suitably considered for computation of transmission charges for DICs for the billing period Sep'24. For the ISTS licensees who have not submitted YTC data for Sep'24, the YTC data recently available with reference to the previous computations have been considered.

- B. All ISTS transmission assets commissioned by the end of Sep'24 as furnished by ISTS licensees have been considered in the computations.
- C. Yearly Transmission Charges (YTC) based on approved/ adopted tariff by CERC has only been considered in line with Sharing Regulations 2020. RPC certified non-ISTS lines as ISTS lines have not been considered in the computations.
- D. The assets of State Utilities whose approved Tariff by the Commission is not available as on 31.03.2019 are not being considered in the computations since 2019-20 Q3 in line with Terms & Conditions of Tariff Regulations. The same is continued in this computation.
- E. As per minutes of Validation Committee meeting held for 2020-21 Q2 PoC computations, for the assets of Essar Power transmission limited, combined tariff of LILO of 400kV Vindhyachal-Korba at Mahan, GIS S/s at Hazira and 400kV Hazira-Gandhar line) was being excluded from PoC computations in the absence of exclusive tariff of LILO of 400kV Vindhyachal-Korba at Mahan since 2020-21 Q2. As per CERC Order dated 04.06.2021 in I.A. No. 32/2021 in Petition No. 92/MP/2021, exclusive tariff of 400kV Hazira-Gandhar Line and GIS S/s at Hazira has been approved and same has been considered for billing period Sep'24.
- F. As per Regulation (13) clauses (3), (6), (9), the YTC of assets claimed by licensees have been examined to find out whether the YTC to be completely or partly billed to generators. Accordingly, transmission charges have been computed for DICs in line with the Regulations.
- G. All ISTS assets corresponding to the bilateral payments on the basis of information furnished by ISTS licensees and the worked out bilateral payments in line with Regulation (13) have been considered while preparing final transmission charges for DICs.
- H. The components of Yearly Transmission Charges such as National Component for RE (NC-RE), National Component for HVDC (NC-HVDC), Regional Component (RC) and Transformers Component (TC) have been worked out on the basis of the inputs furnished by CTU.
- I. Indicative cost level of different conductor configuration was provided by CTU and is as follows:

Sl. No.	Voltage level (kV)	Type of conductor configuration	Indicative cost (Rs.Lakh/km)
1	± 800	HVDC	357
2	± 500	HVDC	176
3	765	D/C	502
4	765	S/C	228
5	400	S/C	96
6	400	M/C TWIN	449
7	400	D/C Quad Moose	288
8	400	D/C Twin HTLS	225
9	400	D/C Twin Moose	168
10	400	M/C QUAD	851
11	400	D/C TRIPLE	235
12	400	S/C QUAD	159

Sl. No.	Voltage level (kV)	Type of conductor configuration	Indicative cost (Rs.Lakh/km)
13	220	D/C	71
14	220	S/C	53
15	220	M/C TWIN	321
16	132	D/C	48
17	132	S/C	28
18	132	M/C TWIN	226

- J. The indicative cost levels provided by CTU are for only selected configurations and voltage level. Hence, for the conductor configurations which are not mentioned in the above list, following assumptions have been made:
- The indicative cost level of 765 kV lines (Quad Bersimis) charged at 400 kV has been considered to be same as cost of one circuit of 400 kV Quad Moose D/C.
 - The indicative cost level of 400 kV Quad Bersimis D/C has been considered to be same as 400 kV Quad Moose D/C.
 - The indicative cost level of 765 kV Hexa zebra has been considered to be same as 765 kV Quad Bersimis.
 - The indicative cost levels of 400 kV ACKC, ACAR, AAAC, Moose, Zebra and Lapwing have been considered to be same as 400 kV Twin Moose depending on the no. of circuits.
 - 400 kV lines (Twin Moose) charged at 220 kV are charged as per the rate of 220 kV D/C lines.
- K. Circuit Kms of RE lines considered as National component has been considered as zero.
- L. Circuit Kms of the assets covered under Regulation (13) clauses (3), (6), (9), have been pro-rata adjusted with respect to YTC considered for bilateral payment wherever YTC are to be partly included in the computations.

d) Computation of Usage part of AC system charges

- The usage part of AC system charges has been computed by running AC load flow and determining the utilization of the lines with respect to SIL of the lines. For SIL of lines at various voltage levels, annexure-II to Regulations has been followed.
- AC Usage Base Charges (AC-UBC) thus determined has been used for apportionment through hybrid method and computed total aggregated nodal charges in ₹ for each drawee DIC.

Transmission Charges for Designated ISTS Customers (DICs) for the billing month of November,2024

S.No	Zone	Region	GNA+GNA RE (in MW)	Usage based AC system charges (₹)	Balance AC system charges (₹)	National Component (₹)		Regional Component (₹)	Transformers component (₹)	Bilateral Charges (₹)	Total Transmission charges payable in ₹ (without waiver)
				AC-UBC	AC-BC	NC-RE	NC-HVDC	RC	TC		
1	Delhi	NR	4,810	295,636,951	699,550,114	128,781,781	115,895,726	212,914,501	58,558,498		1,511,337,571
2	UP	NR	10,053	551,191,313	1,462,074,282	269,156,600	242,224,477	444,995,734	137,298,310		3,106,940,715
3	Punjab	NR	5,512	545,078,153	801,646,617	147,576,960	132,810,237	243,988,509	108,134,777		1,979,235,254
4	Haryana	NR	5,143	531,722,012	747,980,507	137,697,443	123,919,276	227,654,736	221,071,489		1,990,045,462
5	Chandigarh	NR	342	12,655,746	49,739,322	9,156,626	8,240,403	15,138,619	24,401,191		119,331,907
6	Rajasthan	NR	5,721	295,972,514	832,042,870	153,172,676	137,846,039	253,239,888	90,857,480		1,763,131,466
7	HP	NR	1,181	26,740,410	171,687,923	31,606,423	28,443,847	52,254,796	35,634,628		346,368,027
8	J&K	NR	1,977	128,848,583	287,528,186	52,931,722	47,635,312	87,511,844	54,161,638		658,617,284
9	Uttarakhand	NR	1,402	76,335,811	203,902,133	37,536,810	33,780,833	62,059,487	32,025,251		445,640,326
10	Railways-NR-ISTS-UP	NR	130	5,910,801	18,906,760	3,480,589	3,132,317	5,754,446			37,184,912
11	PG-HVDC-NR	NR	8	792,881	1,163,493	214,190	192,758	354,120			2,717,442
12	Northern Railways	NR							2,758,931		2,758,931
13	North Central Railways	NR							2,015,110		2,015,110
14	RAPP 7&8, NPCIL	NR								31,547,014	31,547,014
15	Adani Renewable Energy Park Rajasthan Limited	NR								19,091	19,091
16	ACME Solar Holdings Pvt. Ltd	NR								2,558,329	2,558,329
17	THDC India Ltd.	NR								41,779,973	41,779,973
18	Adani Renewable Energy Holding Seventeen Pvt. Ltd.	NR								11,622,148	11,622,148
19	Gujarat	WR	12,613	831,895,726	1,834,416,738	337,701,975	303,911,122	135,918,048	93,723,295	1,291,459	3,538,858,363
20	Madhya Pradesh	WR	10,587	502,161,592	1,539,760,704	283,458,071	255,094,926	114,086,001	149,065,047		2,843,626,342
21	Maharashtra	WR	9,410	1,233,715,520	1,368,526,543	251,935,183	226,726,255	101,398,691	82,039,365		3,264,341,557

S.No	Zone	Region	GNA+GNA RE (in MW)	Usage based AC system charges (₹)	Balance AC system charges (₹)	National Component (₹)		Regional Component (₹)	Transformers component (₹)	Bilateral Charges (₹)	Total Transmission charges payable in ₹ (without waiver)
				AC-UBC	AC-BC	NC-RE	NC-HVDC	RC	TC		
22	Chhattisgarh	WR	3,276	114,390,830	476,450,348	87,710,835	78,934,386	35,301,794	22,075,983		814,864,175
23	Goa	WR	673	55,164,809	97,878,841	18,018,740	16,215,764	7,252,169	11,560,905		206,091,229
24	DNHDDPDCL	WR	1,206	180,102,835	175,396,557	32,289,153	29,058,263	12,995,715	57,237,980		487,080,504
25	ArcelorMittal Nippon Steel India Ltd (formerly Essar Steel)	WR	563	32,640,842	81,880,814	15,073,626	13,565,342	6,066,822	8,521,798		157,749,245
26	PG-HVDC-WR	WR	5	70,146	727,183	133,869	120,474	53,879			1,105,551
27	BARC	WR	5	539,644	727,183	133,869	120,474	53,879			1,575,049
28	Adani Power Limited	WR								253,489,742	253,489,742
29	Mahan Energen Limited (formerly Essar Power M.P. Ltd)	WR								48,946,521	48,946,521
30	Netra Wind Private Limited	WR								267,487	267,487
31	Andhra Pradesh	SR	4,199	478,716,323	610,688,343	112,423,014	101,173,837	202,381,350	42,832,077		1,548,214,943
32	Telangana	SR	5,801	512,020,301	843,677,799	155,314,577	139,773,619	279,593,763	36,586,570		1,966,966,628
33	Tamil Nadu	SR	8,765	532,192,551	1,274,751,923	234,671,998	211,190,445	422,451,186	91,475,015		2,766,733,118
34	Kerala	SR	2,679	215,660,764	389,624,689	71,726,901	64,549,823	129,121,133	68,277,551		938,960,860
35	Karnataka	SR	5,413	606,088,712	787,313,839	144,938,406	130,435,700	260,914,817	117,665,652		2,047,357,127
36	Pondicherry	SR	540	16,593,147	78,535,772	14,457,830	13,011,163	26,026,656	12,517,559		161,142,127
37	PG-HVDC-SR	SR	6	455,774	894,435	164,659	148,183	296,415			1,959,466
38	BHAVINI	SR								16,044,986	16,044,986
39	Betam	SR								467,938	467,938
40	JSW Renew Energy Ltd.	SR								18,386,301	18,386,301
41	ReNew Solar Power Pvt Ltd.	SR								549,794	549,794
42	Renew Surya Ojas Pvt. Ltd.	SR								183,265	183,265
43	West Bengal	ER	3,540	400,237,887	514,845,614	94,779,107	85,295,399	75,374,333	55,519,502		1,226,051,843

S.No	Zone	Region	GNA+GNA RE (in MW)	Usage based AC system charges (₹)	Balance AC system charges (₹)	National Component (₹)		Regional Component (₹)	Transformers component (₹)	Bilateral Charges (₹)	Total Transmission charges payable in ₹ (without waiver)
				AC-UBC	AC-BC	NC-RE	NC-HVDC	RC	TC		
44	Odisha	ER	2,166	109,310,564	315,015,706	57,991,962	52,189,219	46,118,871	66,096,531		646,722,854
45	Bihar	ER	4,847	223,192,565	704,931,269	129,772,410	116,787,232	103,203,218	169,968,584		1,447,855,278
46	Jharkhand	ER	1,580	48,265,106	229,789,850	42,302,539	38,069,698	33,641,651	56,601,840		448,670,685
47	Sikkim	ER	111	782,193	16,143,464	2,971,887	2,674,517	2,363,432	2,628,486		27,563,980
48	DVC	ER	956	51,469,777	139,037,403	25,595,714	23,034,577	20,355,328	9,642,116		269,134,915
49	Bangladesh	ER	982	24,880,566	142,818,755	26,291,831	23,661,040	20,908,925			238,561,117
50	Railways-ER-ISTS-Bihar	ER	20	218,489	2,908,732	535,475	481,895	425,844			4,570,435
51	PG-HVDC-ER	ER	2	130,496	290,873	53,548	48,189	42,584			565,691
52	NTPC, North Karanpura STPP, Jharkhand	ER								4,210,982	4,210,982
53	Arunachal Pradesh	NER	208	5,649,092	30,250,816	5,568,942	5,011,707	6,677,021	11,098,558		64,256,135
54	Assam	NER	1,767	149,816,024	256,986,497	47,309,232	42,575,415	56,722,577	21,769,788		575,179,535
55	Manipur	NER	177	6,858,840	25,742,281	4,738,955	4,264,770	5,681,888	3,173,317		50,460,051
56	Meghalaya	NER	238	6,710,342	34,613,914	6,372,155	5,734,549	7,640,053	390,200		61,461,213
57	Mizoram	NER	150	4,885,337	21,815,492	4,016,064	3,614,212	4,815,159	1,021,285		40,167,548
58	Nagaland	NER	139	9,909,201	20,215,689	3,721,553	3,349,170	4,462,048	20,145,378		61,803,038
59	Tripura	NER	311	8,031,658	45,230,787	8,326,639	7,493,466	9,983,430	20,132,083		99,198,064
60	PG-HVDC-NER	NER	1	103,464	174,524	32,129	28,914	38,521			377,551

TOTAL

119,215

8,833,746,293

17,338,285,584

3,191,844,668

2,872,464,970

3,738,233,884

1,998,683,768

431,365,030

38,404,624,197

Transmission Charges to be paid by DICs under Regulation 13(7) for the billing month of November,2024

Where Connectivity is granted to a generating station on existing margins and COD of the generating station or unit(s) thereof is delayed

Sl.No.	Name of Generating Station	Region	Pooling Station	Connectivity Granted by CTU (MW)	Commissioned Connectivity Capacity (MW)	Date of Commercial Operation	Details of effectiveness of connectivity / GNA	Delayed Connectivity Capacity (MW)	Transmission Charges (₹)	Remarks
1	ReNew Power Limited	WR	Bhachau S/s	300	230.1	126MW:18.05.19 58.5MW: 01.10.19 27.6MW: 02.09.20 18MW: 07.02.2021	300MW: 01.05.19	69.9	209,700	
2	ReNew Power Limited	WR	Bhachau S/s	50	0	Yet to be commissioned	50MW: 23.11.19	50	150,000	
3	NTPC Ltd. (Rihand Solar)	NR	Intra-State	20	0	-	20MW: 20.10.2022	20	60,000	
4	JSW Neo Energy Ltd.	SR	Tuticorin-II	300	296.08	27 MW: 05.12.2022 51.3 MW: 22.04.2023 13.5 MW: 10.05.2023 24.3 MW: 27.05.2023 13.5 MW: 06.06.2023 18.9 MW: 06.07.2023 21.6 MW: 29.07.2023 27 MW: 30.08.2023 18.9 MW: 28.09.2023 16.2 MW: 11.11.2023 13.5 MW: 02.03.2024 18.9 MW: 21.06.2024 13.5 MW: 09.07.2024 13.5 MW: 08.08.2024 8.4 MW: 15.09.2024	01.10.2023	3.92	11,760	
5	NTPC Limited	WR	Bhuj PS	150	50	50 MW: 04.11.2023	28.02.2024	100	300,000	
6	Adani Renewable Energy Holding Four Limited	WR	KPS-1	1000	0	Yet to be commissioned	25.02.2024	1000	3,000,000	

Sl.No.	Name of Generating Station	Region	Pooling Station	Connectivity Granted by CTU (MW)	Commissioned Connectivity Capacity (MW)	Date of Commercial Operation	Details of effectiveness of connectivity / GNA	Delayed Connectivity Capacity (MW)	Transmission Charges (₹)	Remarks
7	JSW Energy (Utkal) Limited (Formerly Ind Barath Energy (Utkal) Limited (IBEUL))	ER	Sundargarh	350	339.6	20-07-2016	31-03-2024	10.4	31,200	
8	Rewa Ultra Mega Solar Power Limited (Agar & Shajapur Park)	WR	Pachora PS	1000	551.67	200MW: COD 11.04.2024 350MW: COD 15.04.2024 50MW: COD 30.09.2024	12.04.2024	448.33	1,345,000	
9	THDC India Ltd. (Khurja STPP)	NR	Aligarh S/s	465.6	0	Yet to be commissioned	30.04.2023	465.6	1,396,800	
10	Rewa Ultra Mega Solar Power Limited (Neemuch Solar Park)	WR	Neemuch PS	500	0	Yet to be commissioned	06.05.2024	500	1,500,000	
11	NTPC Renewable Energy Ltd.	WR	Bhuj-II PS	300	0	Yet to be commissioned	07.06.2024	300	900,000	
12	ReNew Green Energy Solutions Pvt. Ltd.	WR	Solapur PG	100	0	Yet to be commissioned	30.06.2024	100	300,000	
13	ReNew Green Energy Solutions Pvt. Ltd	WR	Solapur PG	76	0	Yet to be commissioned	30.06.2024	76	228,000	
14	Renew Green Energy Solutions Pvt. Ltd	WR	Solapur PG	48	0	Yet to be commissioned	30.06.2024	48	144,000	
15	NTPC Limited (Barh-I)	ER	generation switchy	1320	660	Unit-2: 01-08-2023 Unit-3: Yet to be commissioned	30.06.2024	660	1,980,000	
16	Jalpower Corporation Limited	ER	New Melli	120	0	Yet to be commissioned	01.07.2024	120	360,000	

Sl.No.	Name of Generating Station	Region	Pooling Station	Connectivity Granted by CTU (MW)	Commissioned Connectivity Capacity (MW)	Date of Commercial Operation	Details of effectiveness of connectivity / GNA	Delayed Connectivity Capacity (MW)	Transmission Charges (₹)	Remarks
17	Renew Solar Power Pvt. Ltd. (RSPL)	WR	Kallam PS	300	0	Yet to be commissioned	10.08.2024	300	900,000	
18	Anupavan Renewables Pvt. Ltd.	WR	Kallam PS	148.75	0	Yet to be commissioned	10.08.2024	148.75	446,250	
19	Viento Renewables Pvt. Ltd. (VRPL)	WR	Kallam PS	150	0	Yet to be commissioned	10.08.2024	150	450,000	
20	ReNew Green (MHP One) Pvt. Ltd.	WR	Kallam PS	117	0	Yet to be commissioned	10.08.2024	117	351,000	
21	JSW Energy (Utkal) Limited (Formerly Ind Barath Energy (Utkal) Limited (IBEUL))	ER	Sundargarh	350	0	Yet to be commissioned	27.09.2024	350	140,000	As Connectivity for 350MW was made effective from 27.09.2024. Charges computed for 04 days corresponding to delayed 350MW capacity.

Transmission charges for NHPTL as per CERC order dated 15.12.2023 in Petition No. 638/MP/2020 for the billing month of November,2024

Name of DIC	Maximum MVA drawal achieved in previous quarter	pf	Regional Component for Madhya Pradesh for the corresponding billing period	GNA of Madhya Pradesh for the corresponding billing period	Regional Component rate for Madhya Pradesh for the corresponding billing period	Transmission Charges in Rs.
NHPTL	2298.303	0.005	114,086,001	10,587	10,776	123,831

Details of Waiver % of DICs for November 2024 billing month

Region	State	DIC	Waiver(%)
ER	Bihar	Bihar DISCOMS	11.904
ER	Bihar	Railways-Bihar	0.000
ER	DVC	DVC DISCOM & JBVNL	1.146
ER	DVC	Railways-DVC	0.000
ER	DVC	Tata steel	0.000
ER	West Bengal	WBSEDCL	2.778
ER	West Bengal	CESC	0.000
ER	West Bengal	IPCL	47.203
ER	Jharkhand	JBVNL	19.193
ER	Jharkhand	SE Railways-Jharkhand	0.000
ER	Odisha	Odisha	13.464
ER	Odisha	DHAMRAPORT	100.000
ER	Sikkim	Sikkim	0.000
ER	Bangladesh	Bangladesh	0.000
ER		PG_HVDC_ER	0.000
ER		Railways-ER-ISTS-Bihar	0.000
NER	Arunachal Pradesh	Arunachal Pradesh	0.000
NER	Assam	Assam	2.971
NER	Manipur	Manipur	0.000
NER	Meghalaya	Meghalaya	0.000
NER	Mizoram	Mizoram	0.000
NER	Nagaland	Nagaland	0.000
NER	Tripura	Tripura	0.000
NER		PG-HVDC-NER	0.000
NR	Punjab	PSPCL	9.039
NR	Punjab	Northern Railways	0.000
NR	Haryana	Haryana	10.182
NR	Haryana	Railways_BRBCL_HARYANA	0.000
NR	Rajasthan	Rajasthan DISCOMS	7.106
NR	Rajasthan	Railways	0.000
NR	Rajasthan	Ambuja Cements Limited	0.000
NR	Delhi	Delhi DISCOMS, DIAL, NR-DEL	12.547
NR	Delhi	Delhi Metro Rail Corporation Metro	100.000
NR	Uttar Pradesh	UPPCL	11.311
NR	Uttar Pradesh	NPCL	1.201
NR	Uttar Pradesh	Railway	17.030
NR	Uttrakhand	Uttrakhand	6.741
NR	Himachal pradesh	Himachal pradesh	0.756
NR	Himachal pradesh	ACC Ltd.	91.926
NR	Himachal pradesh	Ambuja Cements Limited	79.907
NR	Jammu & Kashmir	Jammu & Kashmir	0.389
NR	Chandigarh	Chandigarh	2.996
NR		Railways-NR-ISTS-UP	4.234
NR		PG-HVDC-NR	0.000
SR	Andhra Pradesh	Andhra Pradesh	9.796
SR	Karnataka	Karnataka DISCOMS	11.125
SR	Karnataka	Railways_Karnataka	7.457
SR	Kerala	KSEB	6.509

Region	State	DIC	Waiver(%)
SR	Puducherry	Puducherry	19.807
SR	Tamil Nadu	TANGEDCO	1.750
SR	Tamil Nadu	SAIL Steel Plant Salem	0.000
SR	Telangana	TSSPDCL	13.361
SR		PG-HVDC_SR	0.000
WR	Chhattisgarh	CSPDCL	10.934
WR	DD&DNH	DD&DNH	0.000
WR	Goa	Goa	10.639
WR	Gujarat	GUVNL	1.804
WR	Gujarat	Indian Railways	3.773
WR	Gujarat	MPSEZ Utilities Ltd., Mundra	0.000
WR	Gujarat	Torrent Power Limited Dahej	0.000
WR	Gujarat	Torrent Power Ltd Discom Ahmedabad	0.000
WR	Gujarat	Torrent Power Limited DISCOM Surat	0.000
WR	Gujarat	Heavy Water Board_DAE	0.000
WR	Gujarat	Reliance Industries Ltd.	0.000
WR	Gujarat	Sintex Industries Ltd.	0.000
WR	Madhya Pradesh	MPPMCL	9.187
WR	Madhya Pradesh	WCR	1.955
WR	Maharashtra	MSEDCL	8.942
WR	Maharashtra	Adani Electricity Mumbai Limited	51.495
WR	Maharashtra	Tata Power Company Ltd, Maharashtra	32.807
WR	Maharashtra	Central Railways	3.292
WR		PG-HVDC_WR	0.000
WR		Arcelormittal Nippon Steel India Ltd. (Essar Steel)	0.000
WR		BARC	0.000

**Transmission Charges for Temporary General Network Access (T-GNA) for billing
month November,2024**

S.No.	State	Region	T-GNA rate (Rs./MW/block)
1	Delhi	NR	120.01
2	UP	NR	117.93
3	Punjab	NR	137.15
4	Haryana	NR	147.79
5	Chandigarh	NR	133.27
6	Rajasthan	NR	117.71
7	HP	NR	112.07
8	J&K	NR	127.24
9	Uttarakhand	NR	121.41
10	Gujarat	WR	107.12
11	Madhya Pradesh	WR	102.59
12	Maharashtra	WR	132.49
13	Chhattisgarh	WR	95.00
14	Goa	WR	117.00
15	Daman and Diu and Dadra and Nagar Haveli	WR	154.26
16	Andhra Pradesh	SR	140.83
17	Telangana	SR	129.51
18	Tamil Nadu	SR	120.56
19	Kerala	SR	133.87
20	Karnataka	SR	144.45
21	Pondicherry	SR	113.98
22	West Bengal	ER	132.28
23	Odisha	ER	114.04
24	Bihar	ER	113.98
25	Jharkhand	ER	108.46
26	Sikkim	ER	94.85
27	DVC	ER	107.53
28	Bangladesh	ER	92.79
29	Arunachal Pradesh	NER	117.99
30	Assam	NER	124.33
31	Manipur	NER	108.89
32	Meghalaya	NER	98.63
33	Mizoram	NER	102.28
34	Nagaland	NER	169.82
35	Tripura	NER	121.83

Details of GNA and GNA-RE for billing month November,2024

S.No.	Drawee DIC	Region	GNA+GNA-RE (in MW)
1	Delhi	NR	4810.0
2	UP	NR	10053.0
3	Punjab	NR	5512.0
4	Haryana	NR	5143.0
5	Chandigarh	NR	342.0
6	Rajasthan	NR	5721.0
7	HP	NR	1180.5
8	J&K	NR	1977.0
9	Uttarakhand	NR	1402.0
10	Railways-NR-ISTS-UP	NR	130.0
11	PG-HVDC-NR	NR	8.0
12	Gujarat	WR	12613.2
13	Madhya Pradesh	WR	10587.2
14	Maharashtra	WR	9409.8
15	Chhattisgarh	WR	3276.0
16	Goa	WR	673.0
17	DNHDDPDCL	WR	1206.0
18	ArcelorMittal Nippon Steel India Ltd (formerly Essar Steel)	WR	563.0
19	PG-HVDC-WR	WR	5.0
20	BARC	WR	5.0
21	Andhra Pradesh	SR	4199.0
22	Telangana	SR	5801.0
23	Tamil Nadu	SR	8765.0
24	Kerala	SR	2679.0
25	Karnataka	SR	5413.5
26	Pondicherry	SR	540.0
27	PG-HVDC-SR	SR	6.2
28	West Bengal	ER	3540.0
29	Odisha	ER	2166.0
30	Bihar	ER	4847.0
31	Jharkhand	ER	1580.0
32	Sikkim	ER	111.0
33	DVC	ER	956.0
34	Bangladesh	ER	982.0
35	Railways-ER-ISTS-Bihar	ER	20.0
36	PG-HVDC-ER	ER	2.0
37	Arunachal Pradesh	NER	208.0
38	Assam	NER	1767.0
39	Manipur	NER	177.0
40	Meghalaya	NER	238.0
41	Mizoram	NER	150.0
42	Nagaland	NER	139.0
43	Tripura	NER	311.0
44	PG-HVDC-NER	NER	1.2

119215.41

Transmission Charges claimed by ISTS licensees for the billing month November,2024

S.No.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for September'24 (₹ Cr)	Equivalent MTC to be considered for September'24 (₹ Cr)	Remarks
1	Powergrid Corporation Of India Ltd	35555.73	35555.73	2922.39	As per data furnished by ISTS Licensee for September'24. MTC of the assets listed under Regulation 13(3) shall be partly settled through the bilateral payments from respective entities as detailed in the transmission charges bill. PowerGrid assets for bilateral payments as mentioned in format I-C are also included in this total YTC claimed.
2	Adani Transmission (India) Limited	603.73	603.73	49.62	As per data furnished by ISTS Licensee for September'24
3	Chhattisgarh-WR Transmission Limited.	168.20	168.20	13.82	As per data furnished by ISTS Licensee for September'24
4	Raipur Rajnandgaon-WR Transmission Limited.	182.37	182.37	14.99	As per data furnished by ISTS Licensee for September'24
5	Sipat Transmission Limited.	84.89	84.89	6.98	As per data furnished by ISTS Licensee for September'24
6	Western Transmission Gujarat Limited	48.57	48.57	3.99	As per data furnished by ISTS Licensee for September'24
7	Western Transco Power Limited	89.04	89.04	7.32	As per data furnished by ISTS Licensee for September'24
8	Alipurduar Transmission Limited	149.84	149.84	12.32	As per data furnished by ISTS Licensee for September'24
9	Fatehgarh-Bhadla Transmission Ltd.	65.04	65.04	5.35	As per data furnished by ISTS Licensee for September'24
10	North Karanpura Transco Limited	39.01	39.01	3.21	As per data furnished by ISTS Licensee for September'24
11	Bikaner-Khetri Transmission Limited	128.95	128.95	10.60	As per data furnished by ISTS Licensee for September'24

S.No.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for September'24 (₹ Cr)	Equivalent MTC to be considered for September'24 (₹ Cr)	Remarks
12	Jam Khambaliya Transco Limited	44.08	44.08	3.62	As per data furnished by ISTS Licensee for September'24
13	Lakadia-Banaskantha Transmission Limited	100.28	100.28	8.24	As per data furnished by ISTS Licensee for September'24
14	WRSS XXI (A) Transco Limited	122.16	122.16	10.04	As per data furnished by ISTS Licensee for September'24
15	Karur Transmission Limited	22.37	22.37	1.84	As per data furnished by ISTS Licensee for September'24.
16	Khavda-Bhuj Transmission Limited	127.19	127.19	10.45	As per data furnished by ISTS Licensee for September'24.
17	Aravali Power Company Private Limited	6.76	6.76	0.56	Data not furnished for September'24. Considered the same as in the earlier billing period.
18	Essar Power Transmission Company Limited	69.07	69.07	5.68	As per data furnished by ISTS Licensee for September'24.
19	Essar Transco Limited	269.64	269.64	22.16	As per data furnished by ISTS Licensee for September'24.
20	Jindal Power Limited	31.06	31.06	2.55	As per data furnished by ISTS Licensee for September'24.
21	Kudgi Transmission Limited	196.29	196.29	16.13	As per data furnished by ISTS Licensee for September'24.
22	Parbati Koldam Transmission Company Limited	171.37	171.37	14.09	As per data furnished by ISTS Licensee for September'24.
23	Bhopal Dhule Transmission Company Ltd.	185.06	185.06	15.21	As per data furnished by ISTS Licensee for September'24.
24	East North Interconnection Company Limited	146.10	146.10	12.01	As per data furnished by ISTS Licensee for September'24.
25	Gurgaon Palwal Transmission Limited	134.70	134.70	11.07	As per data furnished by ISTS Licensee for September'24.

S.No.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for September'24 (₹ Cr)	Equivalent MTC to be considered for September'24 (₹ Cr)	Remarks
26	Jabalpur Transmission Company Limited	146.98	146.98	12.08	As per data furnished by ISTS Licensee for September'24.
27	Maheshwaram Transmission Limited	56.10	56.10	4.61	As per data furnished by ISTS Licensee for September'24.
28	Khargone Transmission Company Ltd.	178.44	178.44	14.67	As per data furnished by ISTS Licensee for September'24.
29	Goa Tamnar Transmission Projects Limited	42.71	42.71	3.51	As per data furnished by ISTS Licensee for September'24.
30	Mumbai Urja Marg Limited	338.19	338.19	15.48	As per data furnished by ISTS Licensee for September'24. Some of the elements of the said licensee were commissioned on 06.09.2024 and 28.09.2024, so equivalent MTC considered for 25 and 03 days respectively.
31	Lakadia Vadodara Transmission Company Limited	230.93	230.93	18.98	As per data furnished by ISTS Licensee for September'24.
32	NRSS-XXIX Transmission Limited	502.80	502.80	41.33	As per data furnished by ISTS Licensee for September'24.
33	Odisha Generation Phase-II Transmission Limited	148.50	148.50	12.21	As per data furnished by ISTS Licensee for September'24.
34	Patran Transmission Company Limited	30.81	30.81	2.53	As per data furnished by ISTS Licensee for September'24.
35	Purulia & Kharagpur Transmission Company Limited	72.43	72.43	5.95	As per data furnished by ISTS Licensee for September'24.
36	Rapp Transmission Company Limited	44.03	44.03	3.62	As per data furnished by ISTS Licensee for September'24.
37	NER-II Transmission Limited	481.87	481.87	39.61	As per data furnished by ISTS Licensee for September'24
38	Kallam Transmission Limited	17.00	17.00	1.40	As per data furnished by ISTS Licensee for September'24

S.No.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for September'24 (₹ Cr)	Equivalent MTC to be considered for September'24 (₹ Cr)	Remarks
39	Teestavalley Power Transmission Limited	248.37	248.37	20.41	Data not furnished for September'24. Considered the same as in the earlier billing period.
40	Torrent Power Grid Limited	26.03	26.03	2.14	As per data furnished by ISTS Licensee for September'24.
41	Darbhanga-Motihari Transmission Company Limited	134.73	134.73	11.07	As per data furnished by ISTS Licensee for September'24
42	NRSS XXXI (B) Transmission Limited	98.09	98.09	8.06	As per data furnished by ISTS Licensee for September'24
43	A D Hydro Power Limited	43.19	43.19	3.55	Data not furnished for September'24. Considered the same as in the earlier billing period.
44	Powergrid Himachal Transmission Ltd (Jaypee Powergrid Limited)	126.73	126.73	10.42	Data not furnished for September'24. Considered the same as in the earlier billing period.
45	Kohima Mariani Transmission Limited	277.20	277.20	22.78	As per data furnished by ISTS Licensee for September'24.
46	Raichur Sholapur Transmission Company Private Limited	25.70	25.70	2.11	As per data furnished by ISTS Licensee for September'24.
47	Koppal-Narendra Transmission Limited	77.19	77.19	6.34	As per data furnished by ISTS Licensee for September'24
48	Damodar Valley Corporation	109.09	109.09	8.97	Data not furnished for September'24. Considered the same as in the earlier billing period.
49	Powerlinks Transmission Limited	135.93	135.93	11.17	Data not furnished for September'24. Considered the same as in the earlier billing period.
50	NRSS XXXVI Transmission Limited	22.10	22.10	1.82	As per data furnished by ISTS Licensee for September'24.

S.No.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for September'24 (₹ Cr)	Equivalent MTC to be considered for September'24 (₹ Cr)	Remarks
51	Warora-Kurnool Transmission Limited	409.60	409.60	33.67	As per data furnished by ISTS Licensee for September'24.
52	Rajgarh Transmission Limited	50.51	50.51	4.15	As per data furnished by ISTS Licensee for September'24.
53	Powergrid Vizag Transmission Limited	212.86	212.86	17.50	As per data furnished by ISTS Licensee for September'24
54	Powergrid NM Transmission Limited	160.14	160.14	13.16	As per data furnished by ISTS Licensee for September'24
55	Powergrid Unchahar Transmission Limited	18.76	18.76	1.54	As per data furnished by ISTS Licensee for September'24
56	Powergrid Parli Transmission Limited	326.22	326.22	26.81	As per data furnished by ISTS Licensee for September'24
57	Powergrid Kala Amb Transmission Limited	64.86	64.86	5.33	As per data furnished by ISTS Licensee for September'24.
58	Powergrid Southern Interconnector Transmission System Limited	462.10	462.10	37.98	As per data furnished by ISTS Licensee for September'24
59	Powergrid Jabalpur Transmission Limited	256.43	256.43	21.08	As per data furnished by ISTS Licensee for September'24
60	Powergrid Warora Transmission Limited	364.20	364.20	29.93	As per data furnished by ISTS Licensee for September'24
61	Powergrid Medinipur Jeerat Transmission Limited	579.70	579.70	47.65	As per data furnished by ISTS Licensee for September'24
62	Powergrid Mithilanchal Transmission Limited	170.00	170.00	13.97	As per data furnished by ISTS Licensee for September'24
63	Powergrid Ajmer Phagi Transmission Limited	74.79	74.79	6.15	As per data furnished by ISTS Licensee for September'24
64	Powergrid Varanasi Transmissoin System Limited	116.97	116.97	9.61	As per data furnished by ISTS Licensee for September'24
65	Powergrid Fatehgarh Transmission Limited	87.69	87.69	7.21	As per data furnished by ISTS Licensee for September'24

S.No.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for September'24 (₹ Cr)	Equivalent MTC to be considered for September'24 (₹ Cr)	Remarks
66	Powergrid Khetri Transmission System Ltd.	149.07	149.07	12.25	As per data furnished by ISTS Licensee for September'24
67	Powergrid Bhuj Transmission Limited	151.70	151.70	12.47	As per data furnished by ISTS Licensee for September'24
68	Powergrid Bikaner Transmission System Limited	167.88	167.88	13.80	As per data furnished by ISTS Licensee for September'24
69	Powergrid Ramgarh Transmission Limited	46.41	46.41	3.81	As per data furnished by ISTS Licensee for September'24
70	Powergrid Neemuch Transmission System Limited	78.38	78.38	6.44	As per data furnished by ISTS Licensee for September'24
71	Powergrid Bhadla Transmission Limited	86.63	86.63	7.12	As per data furnished by ISTS Licensee for September'24
72	North East Transmission Company Limited	252.89	252.89	20.79	As per data furnished by ISTS Licensee for September'24
73	Transmission Corporation Of Andhra Pradesh (APTRANSCO)	139.14	139.14	11.44	As per data furnished by ISTS Licensee for September'24
74	Madhya Pradesh Power Transmision Co. Ltd.	12.54	12.54	1.03	Data not furnished for September'24. Considered the same as in the earlier billing period.
75	Karnataka Power Transmission Corporation Limited	1.42	1.42	0.12	Data not furnished by ISTS Licensee for September'24. CERC Tariff Order dated 12.06.2019 has been considered
76	Delhi Transco Limited	3.12	3.12	0.26	Data not furnished by ISTS Licensee for September'24. Data as furnished by ISTS Licensee for Dec'20 has been considered.
77	Power Transmission Corporation Of Uttarakhand Ltd	71.66	71.66	5.89	As per data furnished by ISTS Licensee for September'24. CERC Tariff Order dated 09.11.2021, 25.11.2021, 13.06.2021 and 20.01.2024 have been considered.

S.No.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for September'24 (₹ Cr)	Equivalent MTC to be considered for September'24 (₹ Cr)	Remarks
78	Rajasthan Rajya Vidhyut Prasaran Nigam Ltd.	6.26	6.26	0.51	Data not furnished for September'24. Considered the same as in the earlier billing period.
79	Tamilnadu Transmission Corporation Limited	0.59	0.59	0.05	Data not furnished by ISTS Licensee for September'24. CERC Tariff 148/TT/2018 Order dated 16.11.2018 has been considered
80	Chhattisgarh State Power Transmission Company Ltd	0.75	0.75	0.06	Data not furnished for September'24. Considered the same as in the earlier billing period.
81	Himachal Pradesh Power Transmission Corporation Ltd	2.61	2.61	0.21	Data not furnished for September'24. Considered the same as in the earlier billing period.
82	Odisha Power Transmission Corporation Limited	9.80	9.67	0.79	Data not furnished by ISTS Licensee for September'24. Data as furnished by ISTS Licensee for Jan'21 has been considered. Filing and Publication fee of ₹ 13.67 Lacs as claimed by the licensee is not considered. The same may be claimed in Bill-2 or Bill-3 as applicable.
83	Uttarpradesh Power Transmission Corporation Limited	27.23	0.00	0.00	Data not furnished by ISTS Licensee for September'24. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
84	Power Development Department, Jammu & Kashmir	10.11	0.00	0.00	Data not furnished by ISTS Licensee for September'24. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
85	Gujarat Energy Transmission Corporation Limited	5.71	0.00	0.00	Data not furnished by ISTS Licensee for September'24. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available

S.No.	Name of the Transmission Licensee	Total YTC claimed by Licensees (₹ Cr)	Total YTC allowed for September'24 (₹ Cr)	Equivalent MTC to be considered for September'24 (₹ Cr)	Remarks
86	Maharashtra State Electricity Transmission Company Ltd	97.68	0.00	0.00	Data not furnished by ISTS Licensee for September'24. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
87	West Bengal State Electricity Transmission Company Ltd	32.05	0.00	0.00	Data not furnished by ISTS Licensee for September'24. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
88	Haryana Vidyut Prasaran Nigam Limited	0.35	0.35	0.03	As per data furnished by ISTS Licensee for September'24
89	Assam Electricity Grid Corporation Limited	10.78	0.00	0.00	Data not furnished by ISTS Licensee for September'24. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
90	Meghalaya Power Transmission Corporation Limited	3.61	0.00	0.00	Data not furnished by ISTS Licensee for September'24. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available
91	Kerala State Electricity Board	10.06	0.00	0.00	Data not furnished by ISTS Licensee for September'24. YTC has been considered as zero in line with CERC terms & conditions for Tariff Regulations 2019 as tariff as on 31.03.2019 is not available

TOTAL MTC considered for the billing period September'24 from the claimed assets of ISTS licensees (₹ Crores)

3841.86

Entity-wise details of Bilateral billing for November,2024 billing month

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	State Control Area in which the Bilateral charges are included	Remarks
1	400KV D/C Kota - Jaipur (South) line along with associated bays at Kota and Jaipur(South) (part of RAPPJaipur (S) 400KV D/C line with one ckt LILO at Kota)	Powergrid	RAPP 7&8, NPCIL	NR	31,547,014		As per Regulation 13(3) of Sharing Regulations 2020
2	2X500MVA 400/230kV transformers along with associated bays and equipment at new 400/230kV (GIS) Tirunelveli Pooling Sub-station	Powergrid	Betam	SR	467,938		As per Regulation 13(3) of Sharing Regulations 2020
3	Asset 1. Kalpakkam PFBR-Sirucheri 230 kV D/C Line, Asset 2. Kalpakkam PFBR - Arani 230 KV D/C Line, Asset 3. 230 kV D/C Kalpakkam PFBR-Kanchipuram transmission line and 2 numbers of 230 kV Bays at Kanchipuram Sub-station of TNEB	Powergrid	Bharatiya Nabhikiya Vidyut Nigam Limited (BHAVINI)	SR	16,044,986		As per Regulation 13(3) of Sharing Regulations 2020
4	HVDC Mundra-Mahendergarh	Powergrid	Adani Power Limited	WR	253,489,742		--
5	400 kV Banaskantha (Radhanesda) Pooling Station-Banaskantha (PG) D/C line along with 2 nos. 400 Kv line bays at Banaskantha (PG) under Tr. System for Ultra Mega Solar Power Park (700 MW) at Banaskantha (Radhanesda), Gujarat in WR	Powergrid	Gujarat Power Corporation Limited (GPCL)	WR		Gujarat	As per Regulation 13(3) of Sharing Regulations 2020

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	State Control Area in which the Bilateral charges are included	Remarks
6	Est. of 2x500 MVA, 400/220 kV PS at Banaskantha (Radhanesda) (GIS) with 1X125 MVAR BR, 2 nos of 400 kV line bays at Bnsknta (Radhanesda) (GIS) for interconnection of Bnsknta (Radhanesda) PS-Bnsknta (PG) 400 kV D/C (twin AL59) TL & 4 Nos 220 kV Line bays	Powergrid	Gujarat Power Corporation Limited (GPCL)	WR	1,291,459	Gujarat	As per Regulation 13(3) of Sharing Regulations 2020
7	Mahan Bilaspur Line	Essar Transco Limited	Mahan Energen Limited (formerly Essar Power M.P. Ltd)	WR	48,946,521		CERC order dated 22.11.2023 in Petition No. Petition No. 24/TT/2023
8	2 numbers 400 kV line bays at Bhadla (POWERGRID) Sub-station	Powergrid	Adani Renewable Energy Park Rajasthan Limited	NR	10,564		As per Regulation 13(3) of Sharing Regulations 2020
9	Establishment of 400 kV Pooling Station at Fatehgarh	Fatehgarh Badhla Transmission Limited	Adani Renewable Energy Park Rajasthan Limited	NR	8,528		As per Regulation 13(3) of Sharing Regulations 2020
10	Fatehgarh Pooling Station – Bhadla (PG) 765 kV D/C line (To be operated at 400 kV)		ACME Solar Holdings Pvt. Ltd	NR	2,558,329		As per Regulation 13(3) of Sharing Regulations 2020
11	2 Nos. 400 kV line bays at Fatehgarh Pooling Station			NR			As per Regulation 13(3) of Sharing Regulations 2020
12	1x25 MVAR Bus Reactor at 400 kV Fatehgarh Pooling Station along with associated bay			NR			As per Regulation 13(3) of Sharing Regulations 2020
13	Space for future 220kV (12 Nos) Line Bays			NR			As per Regulation 13(3) of Sharing Regulations 2020

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	State Control Area in which the Bilateral charges are included	Remarks
14	Space for future 400kV (8 Nos) Line Bays alongwith line reactors at at Fatehgarh Pooling Station			NR			As per Regulation 13(3) of Sharing Regulations 2020
15	Space for future 220/400kV transformers (5 Nos) alongwith associated transformer bays at each level.			NR			As per Regulation 13(3) of Sharing Regulations 2020
16	Space for future 400kV bus reactors (2 Nos) alongwith associated bays.			NR			As per Regulation 13(3) of Sharing Regulations 2020
17	765/400 kV 1500 MVA ICT along with associated bays at Meerut Sub-station under Transmission System associated with Tehri Pump Storage Plant (PSP)	Powergrid	THDC India Ltd.	NR	41,779,973		As per Regulation 13(3) of Sharing Regulations 2020
18	765/400 kV 800 MVA ICTI along with associated bays at Koteshwar (Tehri Pooling Station) under Transmission System associated with Tehri Pump Storage Plant (PSP)			NR			As per Regulation 13(3) of Sharing Regulations 2020
19	400 kV S/C Tehri (Generation)-Tehri (Koteshwar) (Quad) line along with associated bays at both ends under Transmission system associated with Tehri Pump Storage Plant (PSP)			NR			As per Regulation 13(3) of Sharing Regulations 2020

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	State Control Area in which the Bilateral charges are included	Remarks
20	400 kV D/C North Karanpura-Chandwa (Jharkhand) Pooling Station line with quad moose conductor	North karanpura Transco Ltd.	NTPC, North Karanpura STPP, Jharkhand	ER	4,210,982		As per Regulation 13(3) of Sharing Regulations 2020
21	Establishment of 2x500 MVA, 400/230 kV Karur Pooling Station (at a location in between Karur Wind zone and Tiruppur wind zone)	Karur Transmission Limited	JSW Renew Energy Ltd.	SR	18,386,301		As per Regulation 13(3) of Sharing Regulations 2020
22	LILO of both circuits of Pugalur – Pugalur (HVDC) 400 kV D/C line (with Quad Moose ACSR Conductor) at Karur PS						
23	2x125 MVA, 400 kV Bus reactors at Karur PS						

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	State Control Area in which the Bilateral charges are included	Remarks
24	400 KV D/C Quad Moose Koppal PS – Narendra (New) Transmission Line	Koppal-Narendra Transmission Limited	ReNew Solar Power Pvt Ltd.	SR	549,794		As per Regulation 13(3) of Sharing Regulations 2020
25	400/220 kV Koppal Pooling Station 400kV •ICT: 3x500MVA, 400/220kV •ICT bay: 3 nos. •Line bay: 2 nos. •Bus Reactor bay: 2 nos. 220kV •ICT bay: 3 nos •Line bay: 5 nos. •Bus coupler bay: 1 no. •Transfer Bus coupler bay: 1 no.		Renew Surya Ojas Pvt. Ltd.		183,265		
26	2x125 MVA, 420 kV bus reactor at Koppal Pooling station						
27	- 400 kV GIS Line bay at Narendra (New): 2 nos. - 400 kV GIS Bay for future 765/400kV Transformer: 2 nos. - 400 kV Auxiliary GIS bay module for switching of future 765/400 kV Transformer: 1 no.						

Sl.No.	Name of the Asset	Transmission Licensee	Name of the beneficiary	Region	MTC in ₹	State Control Area in which the Bilateral charges are included	Remarks
28	Establishment of 400/220kV, 4x500MVA Ramgarh-II PS (Fatehgarh-III PS) with 420kV (2x125MVA) Bus Reactor 400kV: 500MVA ICT - 4 ICT bays - 4 Line bays - 4 125MVA Bus Reactor - 2 Reactor Bays - 2 220kV: ICT bays - 4 Line Bays - 7	Powergrid Ramgarh Transmission Ltd.	Adani Renewable Energy Holding Seventeen Pvt. Ltd.	NR	11,622,148		As per Regulation 13(3) of Sharing Regulations 2020
29	Ramgarh-II PS(Fatehgarh-III) - Fatehgarh-II PS 400kV D/c line (Twin HTLS)						
30	2 nos. of 400kV line bays at Fatehgarh-II PS for Ramgarh-II PS - Fatehgarh-II PS 400kV D/c line						
31	Ramgarh-II PS - Jaisalmer-II (RVPN) 400kV D/c line (Twin HTLS)						
32	2 nos. of 400kV line bays at Jaisalmer-II (RVPN) for Ramgarh-II PS - Jaisalmer-II (RVPN) 400kV D/c line						
33	1 No. 220 kV GIS Line Bay at Bhuj Sub-station associated with Part-B: Extension works at Bhuj Pooling Station for interconnection of RE projects	Powergrid	Netra Wind Private Limited	WR	267,487		As per Regulation 13(3) of Sharing Regulations 2020

TOTAL

431,365,030

Commercial data containing Monthly Transmission Charges of Inter-State Network elements to be paid as per Regulation 13(12) for the billing month of November,2024

Sl. No.	Name of Inter-State Transmission Licensee	Voltage Level	Name of Inter-State Network element	Type of Network element	MTC (Rs.)	COD	Details of the CERC Order
1	Kallam Transmission Limited	400kV	LILO of both circuits of Parli (PG) - Pune (GIS) 400kV D/C Line at Kallam PS	Line	13975890	Deemed COD on 14-02-2024	CERC order dated 01.06.2022 in Petition No. 31/AT/2022
		400kV	1x125MVAR bus reactor at Kallam PS 400 kV Reactor bay -1	Bus Reactor			
		400kV	Provision of new 50MVAR switchable line reactor with 400 ohms NGR at Kallam PS end of Kallam-Pune (GIS) 400kV D/c line. 2x50 MVAR, 400 kV Reactor bay - 2	Line Reactor			
		400/220kV	Establishment of 2X500 MVA, 400/220kV substation near Kallam PS				

Date of publication: 25.11.2023

Revised GNash and GNAd as per CERC(Connectivity and General Network Access to the inter-State Transmission System)(First Amendment) Regulations,2023												
State	Yearly Average of Daily Max ISTS drawal (X ₁)(MW)	Yearly Max ISTS drawal(Y ₁)(MW)	Z ₁ = 0.5*x+0.5*y (MW)	Yearly Average of Daily Max ISTS drawal (X ₂)(MW)	Yearly Max ISTS drawal(Y ₂)(MW)	Z ₂ = 0.5*x+0.5*y (MW)	Yearly Average of Daily Max ISTS drawal (X ₃)(MW)	Yearly Max ISTS drawal(Y ₃)(MW)	Z ₃ = 0.5*x+0.5*y (MW)	GNash* (MW)=Avg of Z1 Z2 & Z3	GNA (MW) As per Annexure-I of GNA Regulations ,2022	GNAd (MW) (=GNA-GNash)
	2018-19			2019-20			2020-21					
Northern Region												
Haryana	4660	7321	5991	5433	7778	6606	5499	9132	7316	5143	5418	275
Rajasthan	3874	5596	4735	4359	7759	6059	5080	7466	6273	5689	5755	66
Uttar Pradesh	7068	10304	8686	8136	12090	10113	8492	12582	10537	9779	10165	386
Southern Region												
Tamil Nadu	6707	9560	8134	7361	9984	8673	7501	11475	9488	8765	9177	412
Telangana	4160	6115	5137	4104	7854	5979	4380	8193	6286	5801	6140	339
Andhra Pradesh	2635	4578	3606	2741	5357	4049	3771	6110	4941	4199	4516	317
Western Region												
Chhattishgarh	1100	2219	1659	1491	2353	1922	1459	2714	2086	1889	2149	260
Gujarat	5346	8699	7023	4284	6260	5272	4675	8611	6643	6312	6434	122
Maharashtra	6481	10207	8344	6437	8790	7613	7409	10238	8824	8260	8496	236
Easten Region												
Bihar	4095	4782	4438	4320	5494	4907	4553	5840	5196	4847	5043	196
North Easten Region												
Arunachal Pradesh	118	145	132	99	132	115	84	128	106	117	134	17
Assam	1171	1468	1319	1186	1608	1397	1251	1690	1470	1396	1529	133
Manipur	135	196	166	147	201	174	166	218	192	177	204	27
Nagaland	112	145	128	117	140	128	113	140	126	128	134	6

Note:

1. For computation of GNash, ISTS drawal has been considered after subtracting the Direct drawal based on the details of generating stations as provided by CTU as per CERC(Connectivity and General Network Access to the inter-State Transmission System) (First Amendment) Regulations,2023.
2. Block-wise meter data has been used for computation of ISTS drawal by State.
3. For Haryana, GNash has been reduced by 1495MW in line with the Annexure-I of GNA Regulations,2022
4. #As the power from Telangana STPP,, Dhariwal(unit-1 of 300MW) and Chuzachen HEP were not included in ISTS drawl for the period 2018-19, 2019-20 and 2020-21,so for the computation of GNAd & GNash these Generating stations have not been considered.

List of generating stations as provided by CTU, from which drawal through STU lines and Scheduled quantum of States have been considered for computation of Direct drawal and GNash

Northern Region	Generating Stations
Haryana	IGTPS(Jhajjar)
Rajasthan	Anta GPS, RAPS B
Uttar Pradesh	Unchahar Stage-I, Tanda Stage-II, Narora Atomic Power Station(NAPS)
Southern Region	
Tamil Nadu	Madras Atomic Power Station (MAPS), Neyveli TS-II Stage-I, New Neyveli TPS
Telangana	Ramagundam STPS St-I&II, Telangana STPP(#)
Andhra Pradesh	Simhadri- Stage-1
Western Region	
Chhattishgarh	NSPCL (formerly BESCL)
Gujarat	Tarapur 1&2 APS, Kawas GPS, Gandhar GPS
Maharashtra	Tarapur 1&2 APS, Ratnagiri Gas & Power Pvt.Ltd, Dhariwal(# unit-1 of 300MW)
Easten Region	
Bihar	Kanti Stage-2 (at 220kV level)
Sikkim	Chuzachen HEP(#)
North Easten Region	
Arunachal Pradesh	Pare HEP, Ranganadi HEP
Assam	Bongaigaon TPS
Manipur	Loktak HEP
Nagaland	Doyang HEP

Commercial data of RE transmission network to be considered for NC-RE component as furnished by CTU for November 2024 Billing month

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	In case of Transmission line			YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks										
							Type of Conductor	No. of sub-Conductors	Line Length (ckt km)																		
1		765	Green Energy Corridors-Inter-State Transmission Scheme (ISTS)-Part-B in Northern Region	Chittorgarh-Ajmer 765 kV D/C line along with associated bays and 240 MVAR Switchable Line reactors at both end	RE-Line	Chittorgarh-Ajmer 765 kV D/C line	Zebra	6	422.34	42762.75000	2019-24	Final 19-24	10/6/2018	10/6/2018	328/TT/2022	4/28/2023											
		400	Green Energy Corridors-Inter State Transmission Scheme (ISTS) Part-B	1 no. 400 kV, 125 MVAR Bus Reactor along with associated bay at Banaskantha SS	RE BR																						
		765	Green Energy Corridors-Inter State Transmission Scheme (ISTS) Part-B	765kV Banaskantha - Chittorgarh TL with 2 nos. 330 MVAR, SLR at Banskntha. SS & 2 nos. 240 MVAR, SLR at Chittgrh SS, 400 kV Banskntha - Sankhari TL, 2 nos. 1500 MVA, ICTs along with ass. bays and 1 no. 765 kV, 330 MVAR BR with ass. bay at Banskntha SS	RE Line	765kV Banaskantha - Chittorgarh TL	Hexa Zebra	6	715.652																		
		400			RE Line	400 kV Banskantha - Sankhari TL	Twin Moose	2	43.41																		
		765			RE SLR																						
		765			RE ICT																						
765	RE BR																										
2		400	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh-Part A (Phase-I)	LILO of 400 kV Kadapa-Kolar S/C Line at NP Kunta alongwith associated line bays and 1 no of 500 MVA ICT along with its bays at NP Kunta Sub-station	RE-Line	LILO of 400 kV Kadapa-Kolar S/C Line at NP Kunta	ACSR Moose	2	19.02	3804.02000	2019-24	Final 19-24	10/5/2016	10/5/2016	360/TT/2020	2/18/2022											
		400/220	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh-Part A (Phase-I)	2x500 MVA transformer & 1x125 MVAR reactor alongwith associated bays at NP Kunta	RE-ICT																						
		400	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh-Part A (Phase-I)	±100 MVAR STATCOM at NP Kunta Pooling Station	RE-STATCOM																						
3		400	Transmission System for Ultra Mega Solar Park (750MW) in Rewa District, Madhya Pradesh in Western Region	LILO of Vindhyaachal-Jabalpur 400 kV 2nd D/C line (Ckt 3 & 4) alongwith 2 nos. ICTs, Bus reactor associated bays and 1 no. 220 kV line bays at 400/220 kV Rewa Pooling station	RE Line	LILO of Vindhyaachal-Jabalpur 400 kV 2nd D/C line (Ckt 3 & 4) at 400/220 kV Rewa Pooling station	Moose	2	129.024	3785.45706	2014-19	Final 14-19	06-07-2018	06-07-2018	7/TT/2018	5/Nov/18											
4		220	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh - Part C (Phase-III)	2 nos. 220 kV Line bays (Bay No 209 & 211) at NP Kunta substation	NC-RE						2019-24	Final 19-24	03-07-2018	03-07-2018	185/TT/2022	9/Feb/23	Set aside by APTEL vide Order dtd 15.12.2023 under APL No. 605 OF 2023 & IA No. 1783 OF 2022 & IA No. 1782 OF 2022										
5		220	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh - Part C (Phase-III)	2 nos. 220 kV Line bays (Bay No 210 & 212) at NP Kunta substation	NC-RE						2019-24	Final 19-24	03-07-2018	03-07-2018	185/TT/2022	9/Feb/23	Set aside by APTEL vide Order dtd 15.12.2023 under APL No. 605 OF 2023 & IA No. 1783 OF 2022 & IA No. 1782 OF 2022										
6		400	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh - Part C (Phase-III)	1 no. 500 MVA 400/220 kV Transformer along with associated bays at NP Kunta Sub-Station	NC-RE						2019-24	Final 19-24	30-09-2018	30-09-2018	185/TT/2022	9/Feb/23	Set aside by APTEL vide Order dtd 15.12.2023 under APL No. 605 OF 2023 & IA No. 1783 OF 2022 & IA No. 1782 OF 2022										
7		400	Green Energy Corridors-Inter State Transmission Scheme (ISTS) PartC	2 nos. 500MVA, 400/220 kV ICTs along with associated bays at Bhuj Pooling Station	RE ICT					28425.17	2019-24	Final 19-24	3/20/2019	3/20/2019	42/TT/2022	10/12/2022											
		400	Green Energy Corridors-Inter State Transmission Scheme (ISTS) PartC	1 no. 400 kV, 125 MVAR Bus Reactor along with associated bays at Bhuj Pooling Station	RE																						
		765	Green Energy Corridors-Inter State Transmission Scheme (ISTS) PartC	1 no. 1500 MVA, 765/400 kV ICT-1 along with associated bays at Bhuj Pooling Station	RE																						
		765	Green Energy Corridors-Inter State Transmission Scheme (ISTS) PartC	765kV D/C Bhuj PS-Banaskantha TL with ass. Bays at both ends, 2x330 MVAR SLRs with ass. bays at both ends, 1 no. 1500 MVA, 765/400 kV ICT-2 and 1 no. 765 kV, 330 MVAR BR with ass. bays at Bhuj PS	RE Line	765kV D/C Bhuj PS-Banaskantha TL	Hexa Zebra	6	579.394																		
		765			RE SLR																						
		765			RE ICT																						
765	RE BR																										
8		765	Green Energy Corridor ISTS-Part-D in Northern Region	765 kV D/C Bikaner (New)-Moga TL with 2x330 MVAR, 765 kV SLR and ass. bays at Bikaner end and 2 Nos. 330 MVAR, 765 kV SLR and ass. bays at Moga end	RE	765 kV D/C Bikaner (New)-Moga TL	Hexa Zebra	6	734.734	24069.25000	2019-24	Final 19-24	11-03-2020	11-03-2020	34/TT/2021	8/Mar/22											
9		765	Green Energy Corridor ISTS-Part-D in Northern Region	765 kV D/C Ajmer (New)-Bikaner (New) TL with SLR & ass. bays at Ajmer & Bikaner; 2 Nos. 3*500 MVA ICT at Bikaner Ss, 3*110 MVAR & 1x125 MVAR BRs at Bikaner (New) Ss, LILO of one ckt. of 400 kV Badhla (RVPNL) - Bikaner (RVPNL) D/C TL at Bikaner (New)	RE	765 kV D/C Ajmer (New)-Bikaner (New) TL	Hexa Zebra	6	526	24473.95000	2019-24	Final 19-24	7/7/2019	7/7/2019	34/TT/2021	3/8/2022											

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	Type of Conductor	No. of sub-Conductors	Line Length (ekt km)	YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks	
10		400	Transmission system for Ultra Mega Solar Power Park at Tumkur (Pavagada), Karnataka Phase-I	Tumkur (Pavagada) Pool-Hiriyur400 kV D/C line along with associated bays and equipment at both ends	RE-Line	Tumkur (Pavagada) Pool-Hiriyur400 kV D/C line	ACSR Moose	2	218.7	2687.83000	2019-24	Final 19-24	27-09-2018	27-09-2018	653/TT/2020	13/Mar/22		
11		400	Transmission System for Ultra mega Solar Power Park at Tumkur (Pavagada), Karnataka-Phase-I	LILO of one circuit of 400 kV D/C Gooty Tumkur (Vasantnarsapur) D/C line at Tumkur (Pavagada) pooling station	RE-Line	LILO of one circuit of 400 kV D/C Gooty Tumkur (Vasantnarsapur) D/C line at Tumkur (Pavagada) pooling station	Moose	2	0.45	7645.03000	2019-24	Final 19-24	3/14/2018	3/14/2018	357/TT/2020	3/14/2022		
		400	Transmission System for Ultra mega Solar Power Park at Tumkur (Pavagada), Karnataka-Phase-I	LILO of second circuit of 400 kV D/C Gooty Tumkur (Vasantnarsapur) D/C line at Tumkur (Pavagada) pooling station along with associated bays and equipment	RE-Line	LILO of second circuit of 400 kV D/C Gooty Tumkur (Vasantnarsapur) D/C line at Tumkur (Pavagada) pooling station	Moose	2	0.45									
			Transmission System for Ultra mega Solar Power Park at Tumkur (Pavagada), Karnataka-Phase-I	New 400/220 kV pooling station at Tumkur (Pavagada) with 1 X 500MVA 400/220 kV ICT along with associated bays & equipment	RE													
			Transmission System for Ultra mega Solar Power Park at Tumkur (Pavagada), Karnataka-Phase-I	1x 125 MVAR 400 kV Bus reactor and along with associated bays & equipments at 400/220 kV Tumkur (Pavagada) pooling station	RE													
		400	Transmission System for Ultra mega Solar Power Park at Tumkur (Pavagada), Karnataka-Phase-I	LILO of 400 kV D/C Bellary -Tumkur (Vasantnarsapur) D/C (Quad Moose) TL at Tumkur (Pavagada) pooling station along with associated bays & equipment	RE-Line	LILO of 400 kV D/C Bellary -Tumkur (Vasantnarsapur) D/C (Quad Moose) TL at Tumkur (Pavagada) pooling station	Moose	4	222.96									
			Transmission System for Ultra mega Solar Power Park at Tumkur (Pavagada), Karnataka-Phase-I	1 X 500 MVA 400/220 kV ICT-I at 400/220 kV Tumkur (Pavagada) pooling station along with associated bays & equipment	RE													
			Transmission System for Ultra mega Solar Power Park at Tumkur (Pavagada), Karnataka-Phase-I	1 X 500 MVA 400/220 kV ICT-II at 400/220 kV Tumkur (Pavagada) pooling station along with associated bays & equipment	RE													
12		400	Transmission system for Ultra Mega Solar Power Park at Tumkur (Pavagada), Karnataka - Phase II (Part A) in Southern Region	1X500 MVA 400/220 kV ICT along with associated bays at Tumkur (Pavagada) Substation	RE-ICT					711.07000	2019-24	Final 19-24	31-03-2019	31-03-2019	656/TT/2020	21/Mar/22		
13		400	Transmission System Associated with Green Energy Corridors: Inter State Transmission Scheme (ISTS)-Part A	(1)400 kV D/C Ajmer(N)-Aj (RVPN)TL awab at BE(2)125 MVAR BR awab at Aj.(N)(3)ICT-I awab at Aj.(N)(4)D/C Chit.(New)Chit.(R)TL awab at BE(5)240 MVAR BR awab at Chit.(N)(6)125MVAR BR awab at Chit.(N)(7)ICT-I awab at Chit.(N)(8)ICT-II awab at Chit.(N)	RE-Line	400 kV D/C Ajmer (New)- Ajmer (RVPN) TL	Moose	4	131.23	18363.27000	2019-24	Final 19-24	2/2/2018	2/2/2018	476/TT/2020	3/28/2022		
		400		RE-Line	400 kV D/C Chittorgarh (New)-Chittorgarh (RVPN) TL	Moose	4	97.48										
			Transmission System Associated with Green Energy Corridors: Inter State Transmission Scheme (ISTS)-Part A	Combined Assets of(1) 765 kV, 240 MVAR BR along with associated bay at Ajmer (New) SS(2) 765/400 kV, 3X500 MVA ICT-II along with associated bays at Ajmer (New) SS	RE													
		400	Transmission System Associated with Green Energy Corridors: Inter State Transmission Scheme (ISTS)-Part A	2 X400 kV D/C(Quad)Tirunelveli Pooling Station-Tuticorin Pooling station line along with new 400/230kV (GIS) Tirunelveli Pooling SS with 2X125MVAR 400kV BR & associated bays at 400/230kV Tuticorin Pooling station	RE-Line	2 X 400 kV D/C (Quad) Tirunelveli Pooling Station-Tuticorin Pooling station line	Moose	4	24.06									
14			Transmission System Associated with Green Energy Corridors: Inter State Transmission Scheme (ISTS)-Part A	2X500MVA 400/230kV transformers along with associated bays and equipment at new 400/230kV (GIS) Tirunelveli Pooling Sub-station	RE				1690.3600	2019-24	Final 19-24	10-06-2018	10-06-2018	476/TT/2020	28/Mar/22	Breakup of Pool & Bilateral portion already given in Format II G(1)		
15		400	Tr. System for Ultra Mega Solar Power Park (700 MW) at Banaskantha (Radhanesda), Gujarat in WR	400 kV Banaskantha (Radhanesda) Pooling Station-Banaskantha (PG) D/C line alongwith 2 nos. 400 Kv line bays at Banaskantha (PG)	RE Line	400 kV Banaskantha (Radhanesda) Pooling Station-Banaskantha (PG) D/C line	Twin Moose	2	130.38	2026.1000	2019-24	Final 19-24	05-09-2020	05-09-2020	203/TT/2021	26/May/22	Breakup of Pool & Bilateral portion already given in Format II G(1)	
16		400	Supplementary Transmission System for Ultra Mega Solar Power Park (700 MW) at Banaskantha (Radhanesda), Gujarat in WR	Est. of 2x500 MVA, 400/220 kV PS at Banaskantha (Radhanesda) (GIS) with 1X125 MVAR BR, 2 nos of 400 kV line bays at Bnsknta (Radhanesda) (GIS) for interconnection of Bnsknta (Radhanesda) PS- Bnsknta (PG) 400 kV D/C (twin AL59) TL & 4 Nos 220 kV Line bays	RE					2373.4700	2019-24	Final 19-24	05-09-2020	05-09-2020	74/TT/2021	9/Jun/22	Breakup of Pool & Bilateral portion already given in Format II G(1)	

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	Type of Conductor	No. of sub-Conductors	Line Length (ekt km)	YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
17	POWERGRID	765	Transmission System for Solar Power Park at Bhadla in the Northern Region	a) 765 kV D/C Bhadla (PG)- Bikaner (PG) with 2x240 MVAR SLR at Bhadla (PG) Ss & 2x240 MVAR SLRs at Bikaner (PG) Ss; (b) 765/400 kV, 1500 MVA ICT-I, II & III with ass. bays at Bhadla (PG) Ss; (c) 1 no of 240 MVAR BR with ass. bays at Bhadla (PG) Ss	RE	765 kV D/C Bhadla (PG)- Bikaner (PG)	Hexa ACSR Zebra	6	338.876	18629.5	2019-24	Final 19-24	17-10-2019	17-10-2019	9/TT/2021	11/Jun/22	
18		400	Transmission System for Solar Power Park at Bhadla in the Northern Region	2 numbers 400 kV line bays at Bhadla (POWERGRID) Sub-station	RE					321.3100	2019-24	Final 19-24	27-09-2019	27-09-2019	9/TT/2021	11/Jun/22	Breakup of Pool & Bilateral portion already given in Format HG(1)
19		220	Transmission System for Solar Power Park at Bhadla in the Northern Region	2 numbers 220 kV line bays (205 & 206) at Bhadla (POWERGRID) Sub-station	RE					225.7	2019-24	Final 19-24	07-08-2019	07-08-2019	9/TT/2021	11/Jun/22	
20			Transmission System for Solar Power Park at Bhadla in the Northern Region	500 MVA ICT-I along with associated bays at Bhadla (POWERGRID) Sub-station	RE					575.576	2019-24	Final 19-24	01-06-2019	01-06-2019	9/TT/2021	11/Jun/22	As per APTEL Order dtd 10.08.2023 under DFR No : 541 of 2022, the CERC order under appeal is set aside to the limited extent it has been made applicable to the Appellant (ESUCRL). Accordingly the bilateral portion has been removed here.
21			Transmission System for Solar Power Park at Bhadla in the Northern Region	500 MVA ICT-III along with associated bays at Bhadla (POWERGRID) Sub-station	RE					574.776	2019-24	Final 19-24	17-05-2019	17-05-2019	9/TT/2021	11/Jun/22	As per APTEL Order dtd 10.08.2023 under DFR No : 541 of 2022, the CERC order under appeal is set aside to the limited extent it has been made applicable to the Appellant (ESUCRL). Accordingly the bilateral portion has been removed here.
22		220	Transmission System for Solar Power Park at Bhadla in the Northern Region	220 kV Sourya Urja line-2 Bay at Bhadla (POWERGRID) Sub-station	RE					105.27	2019-24	Final 19-24	04-05-2019	04-05-2019	9/TT/2021	11/Jun/22	
23		400	Transmission System for Solar Power Park at Bhadla in the Northern Region	Comb Asset(a) 400 kV D/C Bhadla (PG)- Bhadla (RVFNL) CKTs 1&2 with ass. bays; (b) 400 kV, 1X125 MVAR BR with ass. bays at Bhadla (PG) Ss; (c) 400 kV, 500 MVA ICT-2 with ass. bays at Bhadla (PG) Ss; (d) 220 kV, Adani Bhadla (P's) line-1 bay at Bhadla (PG) Ss	RE	400 kV D/C Bhadla (PG)- Bhadla (RVFNL) CKTs 1&2 with ass. bays	Quad ACSR Moose	4	53.084	2346.934	2019-24	Final 19-24	29-04-2019	29-04-2019	9/TT/2021	11/Jun/22	As per APTEL Order dtd 10.08.2023 under DFR No : 541 of 2022, the CERC order under appeal is set aside to the limited extent it has been made applicable to the Appellant (ESUCRL). Accordingly the bilateral portion has been removed here.
24		220	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh - Part B (Phase-II)	4 Numbers of 220 kV line bays (Bay No. 213, 214, 219 & 220) at NP Kunta Substation	RE					113.81	2019-24	Final 19-24	03-08-2018	03-08-2018	8/TT/2023	7/Feb/24	
25		220	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh - Part B (Phase-II)	2 numbers of 220 kV line bays (Bay No. 217 & 218) at NP Kunta Sub-station	RE					78.71	2019-24	Final 19-24	26-04-2017	26-04-2017	8/TT/2023	7/Feb/24	
26		400	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh - Part B (Phase-II)	Loop out Portion of LILO of Kadapa-Hindupur 400 kV D/C line (both circuits) at NP Kunta Sub-station along with associated bays	RE Line	Loop out Portion of LILO of Kadapa-Hindupur 400 Kv Double Circuit (D/C) line (both circuits) at NP Kunta Sub-station	Quad Moose	2	18.32	487.47	2019-24	Final 19-24	12-10-2018	12-10-2018	8/TT/2023	7/Feb/24	
27	400	Transmission System for Ultra Mega Solar Park in Anantpur District, Andhra Pradesh - Part B (Phase-II)	Loop in Portion of LILO of Kadapa-Hindupur 400 Kv Double Circuit (D/C) line (both circuits) at NP Kunta Sub-station along with associated bays	RE Line	Loop in Portion of LILO of Kadapa-Hindupur 400 Kv Double Circuit (D/C) line (both circuits) at NP Kunta Sub-station	Quad Moose	2	19.18	442.34	2019-24	Final 19-24	04-08-2018	04-08-2018	8/TT/2023	7/Feb/24		
28	400 kV	Transmission System for Ultra Mega Solar Power Park at Tumkur (Pavagada), Karnataka - Phase II (Part A) in SR	400 kV D/C Hiriyur - Mysore transmission line along with associated bays and 2X80 MVAR switchable line reactors along with associated bays at 400/220 Kv Mysore Sub-station	NC-RE	400 kV D/C Hiriyur - Mysore transmission line	Twin ACSR Moose	2	411.448	5576.02	2019-24	Final 19-24	01-05-2020	01-05-2020	112/TT/2021	3/Jan/23		
29	400/220 kV	Transmission System for Ultra Mega Solar Power Park at Tumkur (Pavagada), Karnataka - Phase II (Part A) in SR	1X500 MVA 400/220 kV ICTs along with associated bays at Tumkur (Pavagada) Sub-station	NC-RE					625.64	2019-24	Final 19-24	28-04-2019	28-04-2019	112/TT/2021	3/Jan/23		
30	400 kV	Transmission System for Ultra Mega Solar Power Park at Tumkur (Pavagada), Karnataka - Phase II (Part A) in SR	1X125 MVA 400kV Bus Reactor along with associated bays at Tumkur (Pavagada) pooling Sub-station	NC-RE					165.68	2019-24	Final 19-24	03-06-2019	03-06-2019	112/TT/2021	3/Jan/23		

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	Type of Conductor	No. of sub-Conductors	Line Length (ekt km)	YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
31		400	Transmission Scheme for controlling high loading and high short circuit level at Moga Sub-station in NR	The Bus splitting scheme at Moga Substation	NC-RE					770.15	2019-24	Final 19-24	10-09-2021	10-09-2021	301/TT/2022	15/Feb/23	
32		220	Transmission System for Ultra Mega Solar Park (750MW) in Rewa District, Madhya Pradesh in Western Region.	1 Number 220 kV Line Bay for 220 kV Rewa Pooling; Ramnagar circuit- 2 line and 1 Number 220 kV Line Bay for 220 kV Rewa pooling-Barsaita Desh circuit 2 line at Rewa Pooling Station	NC-RE					172.2216	2014-19	Final 14-19	25-07-2018	25-07-2018	06/TT/2020	24/Feb/23	
33		220	Transmission System for Ultra Mega Solar Park (750MW) in Rewa District, Madhya Pradesh in Western Region.	1 Number 220 kV Line Bay for 220 kV Rewa Pooling - Ramnagar circuit - 1 line at Rewa Pooling Station	NC-RE					114.5050898	2014-19	Final 14-19	16-10-2018	16-10-2018	06/TT/2020	24/Feb/23	
34		220	Transmission System for Ultra Mega Solar Park (750MW) in Rewa District, Madhya Pradesh in Western Region.	2 Number 220 kV line bays for 220 kV Rewa Pooling; Badwar circuit- 1 and circuit- 2 line at Rewa Pooling Station	NC-RE					179.1869231	2014-19	Final 14-19	22-11-2018	22-11-2018	06/TT/2020	24/Feb/23	
35		400/220	Transmission System for Ultra Mega Solar Park (750MW) in Rewa District, Madhya Pradesh in Western Region.	1 Number 500 MVA, 400/220 kV ICT 3 along with associated 400 kV and 220 kV transformer bays at Rewa Pooling Station	NC-RE					517.3173077	2014-19	Final 14-19	08-02-2019	08-02-2019	06/TT/2020	24/Feb/23	
36		400	Additional ATIS for Tumkur (Pavagada) under Transmission system for Ultra Mega Solar Power Park at Tumkur (Pavagada) Karnataka-Phase II (Part B)	Tumkur (Pavagada) Pooling station-Devanahally (KPTCL) 400 kV D/C (Quad) line along with associated bays and equipment's at Tumkur (Pavagada) Pooling Station & Devanahally (KPTCL)	NC-RE	Tumkur (Pavagada) Pooling station-Devanahally (KPTCL) 400 kV D/C (Quad) line	Quad ACSR Moose	4	314.84	8152.82	2019-24	Final 19-24	01-03-2021	01-03-2021	83/TT/2022	31/Mar/23	
37		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 500 MVA 400/220 kV ICT-4 along with associated 400 Kv and 220 Kv bays at Bhuj Sub-station	NC-RE					529.87	2019-24	Final 19-24	09-10-2019	09-10-2019	110/TT/2022	30/Jun/23	
38		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 500 MVA 400/220 kV ICT5 along with associated 400 Kv & 220 Kv bays at Bhuj Sub-station	NC-RE					531.69	2019-24	Final 19-24	23-10-2019	23-10-2019	110/TT/2022	30/Jun/23	
39		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 500 MVA 400/220 kV ICT-3 along with associated 400 Kv & 220 Kv bays at Bhuj Sub-station	NC-RE					628.74	2019-24	Final 19-24	17-09-2020	17-09-2020	110/TT/2022	30/Jun/23	
40		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 500 MVA, 400/220 kV ICT-8 along with associated 400kV and 220kV transformer bays at Bhuj PS and 1 no. 1500 MVA, 765/400 kV ICT-4 along with associated 765 kV and 400 kV transformer bays at Bhuj PS	NC-RE					2642.74	2019-24	Final 19-24	02-05-2021	02-05-2021	110/TT/2022	30/Jun/23	
41		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 500 MVA, 400/220 kV ICT-7 along with associated 400 kV and 220 kV transformer bays at Bhuj PS	NC-RE					768.86	2019-24	Final 19-24	04-05-2021	04-05-2021	110/TT/2022	30/Jun/23	
42		765/400 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 no. 1500 MVA, 765/400 kV ICT-3 along with associated 765 kV & 400 kV transformer bays at Bhuj PS and 1 No. 500 MVA, 400/220 kV ICT-6 along with associated 400 kV & 220 kV transformer bays at Bhuj PS	NC-RE					2610.14	2019-24	Final 19-24	05-05-2021	05-05-2021	110/TT/2022	30/Jun/23	
43		400/220 kV	System Strengthening Scheme at Tuticorin- II and Bhuj PS in the WR and SR	1 X 500 MVA, 400/220 kV Transformer along with associated bays at Tuticorin-II (GIS) Sub-station	NC-RE					839.77	2019-24	Final 19-24	28-02-2022	28-02-2022	110/TT/2022	30/Jun/23	
44		220	Extension works at POWERGRID Sub-stations for inter-connection of RE projects in the Western Region	1 No. 220 kV GIS Line Bay at Bhuj Sub-station associated with Part-B: Extension works at Bhuj Pooling Station for interconnection of RE projects	NC-RE					104.42	2019-24	Final 19-24	29-09-2021	29-09-2021	293/TT/2022	29/Mar/24	Breakup of Pool & Bilateral portion shall be given in Format II G(1)
45		400	Extension works at POWERGRID Sub-stations for inter-connection of RE projects in the Western Region	Conversion of existing 2x63MVAR Line Reactors at Bhachau end of Bhachau-EPGL 400 kV D/C line to Switchable Line Reactors along with two nos. of 400 kV Reactor bays associated with Part A: PG works associated with Western Region Strengthening Scheme-21	NC-RE					120.04	2019-24	Final 19-24	09-08-2021	09-08-2021	293/TT/2022	29/Mar/24	

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	Type of Conductor	No. of sub-Conductors	Line Length (ekt km)	YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks	
46		230	Implementation of 1 No. 230 kV bay at Tuticorin-II GIS P5 in Southern Region	1 No. 230 kV line bay at Tuticorin-II GIS P5	NC-RE					121.12	2019-24	Final 19-24	19-08-2022	19-08-2022	67/TT/2023	2/Aug/24		
47	POWERGRID AJMER PHAGI TRANSMISSION LIMITED	765		Ajmer(PG)-Phagi(RVFN) 765 kV D/C line	RE Line	Ajmer(PG)-Phagi(RVFN) 765 kV D/C line	Hexa Zebra	6	269.6	7,479.30000	-	-	-	5/6/2021	398/AT/2019	04.03.2020		
		765		2 nos. of 765 kV line bays(AIS) at Ajmer PG-Phagi(RVFN) 765 kV D/C line	RE Line bays												5/6/2021	
		765		1 no. 765 kV bay (AIS) & 1 complete GIS dia 765 kV (2 Main breaker & 1 Tie breaker) at Phagi S/s for Ajmer(PG)-Phagi (RVFN) 765 kV D/C line	RE Line bays												5/6/2021	
		765		3x80 MVAR, 765 kV bus reactor with GIS bay (2nd main bay of new DIA being created for termination of 765 kV D/C line from Ajmer) at Phagi S/s.	RE Bus Reactor												5/6/2021	
48	FATEGARH-BHADLA TRANSMISSION LIMITED	400		Establishment of 400 kV Pooling Station at Fatehgarh						6503.6916				Deemed COD 31.07.2021	94/TL/2018		Breakup of Pool & Bilateral portion already given in Format II G(1)	
		765		Fatehgarh Pooling Station - Bhadla (PG) 765 kV D/C line (To be operated at 400 kV)	Line	Fatehgarh Pooling Station - Bhadla (PG) 765 kV D/C line (To be operated at 400 kV)		6	292					Deemed COD 31.07.2021	94/TL/2018			
		400		2 Nos. 400 kV line bays at Fatehgarh Pooling Station											Deemed COD 31.07.2021			94/TL/2018
		400		1x25 MVAR Bus Reactor at 400 kV Fatehgarh Pooling Station along with associated bay											Deemed COD 31.07.2021			94/TL/2018
		220		Space for future 220kV (12 Nos) Line Bays											Deemed COD 31.07.2021			94/TL/2018
		400		Space for future 400kV (8 Nos) Line Bays alongwith line reactors at Fatehgarh Pooling Station											Deemed COD 31.07.2021			94/TL/2018
		400		Space for future 220/400kV transformers (5 Nos) alongwith associated transformer bays at each level.											Deemed COD 31.07.2021			94/TL/2018
		400		Space for future 400kV bus reactors (2 Nos) alongwith associated bays.											Deemed COD 31.07.2021			94/TL/2018
49	POWERGRID FATEGARH TRANSMISSION LIMITED	765		Fatehgarh-II - Bhadhla-II 765 kV D/C Line	Line	Fatehgarh-II - Bhadhla-II 765 kV D/C Line	ACSR ZEBRA	6	373.5	8,769.10				9/1/2021	441/AT/2019	05.03.2020		
		765		2 nos. of 765 kV bays each at Fatehgarh-II & Bhadhla-II S/s for Fatehgarh-II to Bhadhla-II 765 kV D/C line	Bays			NA	NA					NA			9/1/2021	
		765		240 MVAR Switchable Line Reactor with NGR of 400 ohm at Fatehgarh-II on each circuit of Fatehgarh II -Bhadhla-II 765 kV D/C Line	SLR			NA	NA					NA			9/1/2021	
50	BIKANER-KHETRI TRANSMISSION LIMITED	765		Bikaner (PG) - Khetri S/s 765kV D/c line	Line	Bikaner (PG) - Khetri S/s 765kV D/c line	Zebra	6	481	11299.450				4-Sep-21	344/TL/2019			
		765		765kV Bays at Bikaner (PG) & Khetri for Bikaner (PG)-Khetri S/s 765kV D/c line. (765kV line bays-4 nos.)							633.120			4-Sep-21				
		765		1x240 MVA Switchable line reactor for each circuit at each end of Bikaner-Khetri 765kV D/c line along with reactor bays (1x240 MVA Line reactor-4 nos., 765kV Reactor bay-4 nos.), 1x80 MVAR, 765 kV, 1-ph Reactor (spare unit) (For 2x240 MVA line reactor on Bikaner-Khetri 765kV D/c line at Bikaner end)							961.930			4-Sep-21				
51	POWERGRID KHETRI TRANSMISSION SYSTEM LIMITED	765/400		765/400 kV, 2x1500 MVA ICT along with 765 kV, 2x240 MVAR and 400 kV, 1x125 MVAR Bus reactor at Khetri Substation						3254.24176				10/4/2021	297/AT/2019	23.12.2019		
		765		400 kV, D/C Khetri-Sikar Transmission line		400 kV, D/C Khetri-Sikar Transmission line	Moose	2	156.2	1645.75488				10/4/2021				
		400		400 kV line bays at Sikar (PG) for Khetri-Sikar (PG) 400 kV D/C line				NA	NA	NA	184.84928						10/4/2021	
		765		765 kV, D/C Khetri-Jhatikara Transmission Line		765 kV, D/C Khetri-Jhatikara Transmission Line	ACSR ZEBRA	6	292.1	8754.99856				10/4/2021				
		765		765 kV line bays at Jhatikara for Khetri-Jhatikara 765 kV D/C line				NA	NA	NA	411.43872						10/4/2021	

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipmen t type	Line name	Type of Conductor	No. of sub-Conductors	Line Length (ekt km)	YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks	
		765		1x240 MVAR Switchable Line reactors for each circuit at Jhatikara end of Khetri-Jhatikara 765 kV D/C line along with reactor bays			NA	NA	NA	655.91680				10/4/2021				
52	JAM KHAMBALIYA TRANSCO LIMITED	400kV		Establishment of 4x500MVA, 400/220kV Jam Khabhaliya PS (GIS)	Sub-Station					2388.9100				12-Apr-2022	47/AT/2020	3/24/2020		
		400kV		1x125MVA, 420kV Bus reactor at Jam Khabhaliya PS along with reactor bay	Bus Reactor					244.6700								
		400kV		Extension of Essar-Lakadia/ Bhachau 400kV D/c (triple snowbird) line upto Jam Khabhaliya PS	Transmissi on Line	Extension of Essar-Lakadia/ Bhachau 400kV D/c (triple snowbird) line upto Jam Khabhaliya PS	ACSR Snow Bird	Three	37.234	635.6900								
		400kV		2 nos. of 400kV line bays at Jam Khabhaliya PS for termination of Jam Khabhaliya PS-Lakadia 400kV D/C (triple) line	Line Bays					294.0400								
		400kV		63MVA switchable Line Reactor at both ends of Lakadia - Jam Khabhaliya 400kV D/c line along with 500 Ohms NGR on both circuits & at both ends of Lakadia - Jam Khabhaliya 400 kV D/c line	Line Reactor					472.5800								
53	LAKADIA-BANASKANTHA TRANSMISSION LIMITED	765		Lakadia PS - Banaskantha PS 765kV D/c line	Transmissi on Line	Lakadia PS - Banaskantha PS 765kV D/c line	Zebra	Six	351	8628.75			01-Sep-2022	442/TL/2019	23.01.2020			
		765		765kV Bays at Lakadia and Banaskantha substations for Lakadia PS - Banaskantha PS 765kV D/c line	Bays					689.90								
		765		2x240MVA switchable Line reactor along with bays at Lakadia PS end of Lakadia PS - Banaskantha PS 765kV D/c line	Reactor					708.95								
54	POWERGRID BHUJ TRANSMISSION LIMITED	765		765 kV D/C Bhuj PS-Bhuj II (PBTL)	Transmissi on Line	765 kV D/C Bhuj PS-Bhuj II (PBTL)	ACSR ZEBRA	6 (Hexa)	52.6	14,411.595				02.08.2022* (* To be considered in ISTS Pool from 17.10.2022)	448/AT/2019	05.03.2020		
		765		330 MVAR 765 kV Bus Reactor along with associated 765 kV bay	Bus Reactor													
		765/400		1500 MVA, 765/400 kV ICT-2 along with associated 765 kV & 400 kV transformer bays	ICT													
		400		125 MVAR 400 kV Bus Reactor along with associated 400 kV bay	Bus Reactor													
		400/220		500 MVA, 400/220 kV ICT-2 along with associated 400 kV & 220 kV transformer bays	ICT													
		400/220		500 MVA, 400/220 kV ICT-3 along with associated 400 kV & 220 kV transformer bays	ICT													
		400/220		500 MVA, 400/220 kV ICT-1 along with associated 400 kV & 220 kV transformer bays	ICT													
		765		240 MVAR 765 kV Bhuj II - Lakadia Ckt-1 Line Reactor at Bhuj II end	Line Reactor													
		765		240 MVAR 765 kV Bhuj II - Lakadia Ckt-2 Line Reactor at Bhuj II end	Line Reactor													
		400/220		500 MVA, 400/220 kV ICT-4 along with associated 400 kV & 220 kV transformer bays	ICT													
		220		220 kV line bay-1	Bay													
		220		220 kV line bay-2	Bay													
		220		220 kV line bay-3	Bay													
		220		220 kV line bay-4	Bay													
		220		220 kV line bay-5	Bay													
		220		220 kV line bay-6	Bay													
		220		220 kV line bay-7	Bay													
		765		110 MVAR 765 kV Spare Bus Reactor	Bus Reactor													
		765		765 kV D/C Bhuj II - Lakadia Line (up to tapping point)	Transmissi on Line	765 kV D/C Bhuj II - Lakadia Line (up to tapping point)	ACSR ZEBRA	6 (Hexa)	52.7									
765/400		1500 MVA, 765/400 kV ICT-1 along with associated 765 kV & 400 kV transformer bays	ICT					758.51			16.11.2022							
55	WRSS XXI (A) TRANSCO LIMITED	765		Establishment of 2x1500MVA, 765/400kV Lakadia PS with 765kV (1x330MVAR) & 420kV (1x125 MVAR) bus reactor	Sub-Station					3354.4600			17-10-2022	409/TL/2019	27.12.2019			
		765		LILO of Bhachau - EPGL 400kV D/c (triple) line at Lakadia PS	Transmissi on Line	LILO of Bhachau - EPGL 400kV D/c (triple) line at Lakadia PS	Zebra	Six	79	930.8400								
		765		Bhuj PS - Lakadia PS 765kV D/c line	Transmissi on Line	Bhuj PS - Lakadia PS 765kV D/c line	Zebra	Six	215	7482.1800								

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	Type of Conductor	No. of sub-Conductors	Line Length (ekt km)	YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
		765		2 nos of 765kV bays at Bhuj PS for Bhuj PS – Lakadia PS 765kV D/c line	Bays		NA	NA	NA	448.5200							
56	LAKADIA VADODARA TRANSMISSION COMPANY LIMITED	765kV		765kV D/C Lakadia Vadodara Transmission Line	Line		Hexa Zebra ACSR	36	669.53	20649.9150				28.01.2023	444/AT/2019	05.03.2020	
		765kV		330MVA switchable line reactors at both end of Lakadia-Vadodara 765kV D/C line along with 500 OHMs NGR at Both ends of Lakadia Vadodara 765kV D/C line.	Substation						1519.5308						
		765kV		2 Nos of 765kV bays each at Lakadia and Vadodara S/s for Lakadia Vadodara 765kV D/C line.	Substation						923.7269						
57	POWERGRID BIKANER TRANSMISSION SYSTEM LIMITED	400 kV		Establishment of 400 kV switching station at Bikaner –II PS with 420kV (2x125 MVAR) bus reactor. 400 kV line bays - 4 numbers. 125 MVA, 420 kV bus reactor - 2 numbers. 400 kV bus reactor bay - 2 numbers. 400 kV, 80MVA line reactor on each circuit at Bikaner –II end of Bikaner –II - Khetri 400 kV 2xD/c Line - 4 numbers. Switching equipment for 400 kV switchable line reactor - 4 numbers	Switching station						16787.60			24.07.2023	98/AT/2021	12.06.2021	
		400 kV		Bikaner-II PS - Khetri 400 kV 2xD/c line (Twin HTLS on M/c Tower)	Line	Bikaner-II PS - Khetri 400 kV 2xD/c line (Twin HTLS on M/c Tower)	HTLS	2	1101.42								
		400 kV		1x80 MVA Fixed Line reactor on each circuit at Khetri end of end of Bikaner –II - Khetri 400 kV 2xD/c Line - 4 numbers.	Fixed Line reactor												
		400 kV		4 number of 400 kV line bays at Khetri for Bikaner –II PS - Khetri 400kV 2xD/c line	Bay												
		400 kV		Khetri- Bhiwadi 400 kV D/c line (Twin HTLS)	Line	Khetri- Bhiwadi 400 kV D/c line (Twin HTLS)	HTLS	2	251.31								
		400 kV		2 number of 400 kV line bays at Khetri for Khetri - Bhiwadi 400kV D/c line	Bay												
		400 kV		2 number of 400 kV(GIS) line bays at Bhiwadi for Khetri- Bhiwadi 400 kV D/c line	Bay												
				STATCOM at Bikaner-II S/s ± 300 MVA, 2x125 MVA MSC, 1x125 MVA MSR	STATCOM												
58	KARUR TRANSMISSION LIMITED	400kV		Establishment of 2x500 MVA, 400/230 kV Karur Pooling Station (at a location in between Karur Wind zone and Tiruppur wind zone)	Sub-Station					2,237.00			24-Sep-2023	103/AT/2022	5/17/2022	Breakup of Pool & Bilateral portion already given in Format II G(1)	
		400kV		LILO of both circuits of Pugalur - Pugalur (HVDC) 400 kV D/C line (with Quad Moose ACSR Conductor) at Karur PS	Transmission Line	LILO of both circuits of Pugalur - Pugalur (HVDC) 400 kV D/C line (with Quad Moose ACSR Conductor) at Karur PS	ACSR Quad Moose		8.51								
		400kV		2x125 MVA, 400 kV Bus reactors at Karur PS	Bus Reactor												
59	KOPPAL-NARENDRA TRANSMISSION LIMITED	400		400 KV D/C Quad Moose Koppal PS - Narendra (New) Transmission Line	Transmission Line		ACSR Moose	4	275.618	1,758.39			10/20/2023	283/AT/2021	25.02.2022	Breakup of Pool & Bilateral portion already given in Format II G(1)	
		400/220		400/220 kV Koppal Pooling Station 400kV •ICT: 3x500MVA, 400/220kV •ICT bay: 3 nos. •Line bay: 2 nos. •Bus Reactor bay: 2 nos. 220kV •ICT bay: 3 nos •Line bay: 5 nos. •Bus coupler bay: 1 no. •Transfer Bus coupler bay: 1 no.	Substation						4,178.29						
		400		2x125 MVA, 420 kV bus reactor at Koppal Pooling station	Substation						637.59						
		400		- 400 kV GIS Line bay at Narendra (New): 2 nos. - 400 kV GIS Bay for future 765/400kV Transformer: 2 nos. - 400 kV Auxiliary GIS bay module for switching of future 765/400 kV Transformer: 1 no.	Substation						159.78						

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	Type of Conductor	No. of sub-Conductors	Line Length (ckt km)	YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
		400/220		400/220 kV Koppal Pooling Station (Ph-II) 400kV •ICT: 2x500MVA, 400/220kV •ICT bay: 2 nos. 220kV •ICT bay: 2 nos •Line bay: 4 nos. •Bus sectionalizer bay: 2 no. •Bus coupler bay: 1 no. •Transfer Bus coupler bay: 1 no.	Substation					984.94				27-Jan-24	283/AT/2021	25.02.2022	
60	POWERGRID RAMGARH TRANSMISSION LIMITED	400		400kV D/C Fatehgarh III (Ramgarh-II) - Fatehgarh II Ckt # 1,2	Line	400kV D/C Fatehgarh III (Ramgarh-II) - Fatehgarh II Ckt # 1,2	TWIN HTLS ACSS	2 Nos per phase	88.272	4641.20		C		00:00 HRS, 24.12.2023	90/AT/2021	5/5/2021	The said tr. System is considered as ATS of various generators, granted connectivity at Fatehgarh III (PS). Details were attached at Format II G(1).
		400		400kV D/C Fatehgarh III (Ramgarh-II) - Jaisalmer II Ckt # 1,2	Line	400kV D/C Fatehgarh III (Ramgarh-II) - Jaisalmer II Ckt # 1,2	TWIN HTLS ACSS	2 Nos per phase	99.848								
		400/220		Establishment of 400/220 kV, 4x500 MVA at Ramgarh-II (Fatehgarh-III) PS with 420 kV (2x125 MVAR) bus reactor 400/220 kV, 500 MVA ICT- 4 400 kV ICT bays - 4 220 kV ICT bays - 4 400 kV Line bays - 4 220 kV line bays - 7 125 MVAR, 420 kV bus reactor - 2 420 kV reactor bay - 2	Substation												
		400		400 kV Line Bays at Fatehgarh-II S/s -2 Nos. (for 400 kV Ramgarh-II (Fatehgarh-3)- Fatehgarh-II D/c lines)	Line Bays												
		400		400 kV Line Bays at Jaisalmer-II S/s -2 Nos. (for 400 kV Jaisalmer-II- Ramgarh-II (Fatehgarh-3) D/c lines)	Line Bays												
61	KHAVDA-BHUJ TRANSMISSION LIMITED	765kV		Establishment of 3X1500 MVA 765/400 kV Khavda (GIS) with 1X330 MVAR 765 kV bus reactor and 1X125 MVAR 420 kV bus reactor	Sub-Station					12,718.60		C		21-Feb-2024	101/AT/2022	5/10/2022	
		765kV		Khavda PS (GIS) - Bhuj PS 765 kV D/c line	Transmission Line	Khavda PS (GIS) - Bhuj PS 765 kV D/c line	Al 59	Six	216.86								
		765kV		2 nos. of line bays each at Bhuj PS for termination of Khavda PS (GIS) - Bhuj PS 765 kV D/c	Bay Extension												
62	RAJGARH TRANSMISSION LIMITED	400 kV		Establishment of 400/220 kV, 3x500 MVA at Pachora SEZ PP with 420 kV (125 MVAR) bus reactor	SS					1376.50				2-Apr-24	Petition No. 170/AT/2022	08.08.2022	
		400 kV		Pachora SEZ PP -Bhopal (Sterlite) 400 kV D/c line (Quad/HTLS) (with minimum capacity of 2100 MVA/ckt at nominal voltage) along with 80MVAR switchable line reactors	TL	Pachora SEZ PP -Bhopal (Sterlite) 400 kV D/c line (Quad/HTLS) (with minimum capacity of 2100 MVA/ckt at nominal voltage) along with 80MVAR switchable line reactors	HTLS	Twin	287.95	3507.30				2-Apr-24	Petition No. 170/AT/2022	08.08.2022	
		400 kV		2 no. of 400 kV line bays at Bhopal (Sterlite) for Pachora SEZ PP-Bhopal (Sterlite) 400 kV D/c line (Quad/HTLS)	Bays					167.40				2-Apr-24	Petition No. 170/AT/2022	08.08.2022	
63	POWERGRID NEEMUCH TRANSMISSION	400/220		Establishment of 2x500 MVA, 400/220 kV Pooling Station (AIS) at Neemuch with 1x125 MVAR Bus Reactor 400/220 kV, 500 MVA ICT -2 nos. 400 kV ICT bays - 2 nos. 220 kV ICT bays - 2 nos. 400 kV line bays -4 nos. (2 each for Chittorgarh & Mandasaur lines) 220 kV line bays - (2 nos. of bays corresponding to 500 MW Connectivity / LTA granted to M/s RUMSL) 220kV Bus coupler bay - 1 no.# 220kV Transfer Bus Coupler (TBC) bay - 1 no.# 125 MVAR, 420 kV reactor-1 no. 420 kV reactor bay - 1 no. Future provisions: Space for 400/220 kV ICTs along with bays: 2 nos. 400 kV line bays: 6 nos. 220 kV line bays: 5 nos. 420kV bus reactor along with bays:1					1789.45					248/AT/2022	09.12.2022		

S.No.	Name of the ISTS Licensee	Voltage level	Project Name	Asset name	Equipment type	Line name	Type of Conductor	No. of sub-Conductors	Line Length (ckt km)	YTC in Lakhs	Block	Order Status	Petition COD	Actual COD	Petition No.	Order date	Remarks
	SYSTEM LIMITED	400		Neemuch PS - Chhittorgarh (PG) s/s 400 kV D/C line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)		Neemuch PS - Chhittorgarh (PG) s/s 400 kV D/C line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)	AL59 Moose	Quadruple	232.4	2872.16					248/AT/2022	09.12.2022	
		400		2 nos. of 400 kV line bays at Chhittorgarh (PG) 400 kV s/s for Neemuch PS - Chhittorgarh (PG) s/s 400 kV D/C line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)						262.49					248/AT/2022	09.12.2022	
		400		Neemuch PS- Mandsaur s/s 400 kV D/C line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)		Neemuch PS- Mandsaur s/s 400 kV D/C line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)	AL59 Moose	Quadruple	236.418	2651.21					248/AT/2022	09.12.2022	
		400		2 no. of 400 kV line bays at Mandsaur 400 kV s/s for Neemuch PS- Mandsaur s/s 400 kV D/c line (conductor with minimum capacity of 2100 MVA/Ckt at nominal voltage)						262.49					248/AT/2022	09.12.2022	
65	POWERGRID Bhadla Transmission Limited	765 kV		Fatehgarh-II PS - Bhadla-II PS 765 kV D/C line (2nd)		Fatehgarh-II PS - Bhadla-II PS 765 kV D/C line (2nd)	AL59 Zebra	6	404.46								
		765 kV		2 no. of 765 kV line bays each at Fatehgarh-II and Bhadla-II for Fatehgarh-II PS - Bhadla-II PS 765 kV D/C line (2nd)													
		765 kV		1x240 MVar Switchable Line Reactor for each circuit at each end of Fatehgarh II - Bhadla- II 765kV D/C line (2nd) 240 MVar, 765 kV reactor -4 (2 reactors each at Fatehgarh-II & Bhadla-II) Switching equipment for 765 kV reactor -4 (2 switching equipments each at Fatehgarh -II & Bhadla-II) (1x80 MVar Spare* reactor each at Fatehgarh-II and Bhadla-II to be used as spare for Fatehgarh-II - Bhadla-II 765 kV D/C line (2nd) * not under the present scope						8662.70				18.08.2024	222/AT/2022	12.11.2022	

392641.50844